VOLUME 81 • AUTHOR INDEX

Abbott R *see* Morley R *et al*
Abernethy LJ *see* Cooke RWI and Abernethy LJ
Adams J *see* Steer AC *et al*
Aebi C. Varicella: to vaccinate or not vaccinate?: *letter*, **279**
Agarwal R *et al*. Nurse-led asthma education and childhood asthma readmission rates: *letter*, **280**
Aggett P *see* Høst A *et al*
Agostoni C *et al*. Growth patterns of breast fed and formula fed infants in the first 12 months of life: an Italian study, **395**
Agrawal L *et al*. Respiratory function in childhood following repair of oesophageal atresia and tracheoesophageal fistula, **404**
Ahmed SR *see* Bhasker B *et al*
Akbar A *et al*. Spontaneous rupture of the diaphragm, **341**
Akpınarlı A *et al*. Effect of formoterol on clinical parameters and lung functions in patients with bronchial asthma: a randomised controlled trial, **45**
Aladjem M *see* Bistritzer T *et al*
Al-Jader L *et al*. Outbreak of *Escherichia coli* O157 in a nursery: lessons for prevention, **60**
Al Khusaiby SM *see* Bhasker B *et al*
Alm B *et al*. Caffeine and alcohol as risk factors for sudden infant death syndrome, **107**
Alton H *see* Akbar A *et al*
Amark K, Sunnegårdh J. The effect of changing attitudes to Down's syndrome in the management of complete atrioventricular septal defects, **151**
Anastasia G *see* Talia K *et al*
Anderson HR *see* Austin JB *et al*
Anderton J *see* Agarwal R *et al*
Anthony HM *et al*. Attention deficit hyperactivity disorder: *letter*, **191**
Appleton RE, Neville BGR. Teenagers with epilepsy: *personal practice*, **76**
Arai J *see* Terai I *et al*
Archivist. APEC, **486**
Chronic pain from the appendix, **403**
Febrile convulsions, rat brains, and scientific pessimism, **472**
Inclusion benefit, **44**
Inflicted head injury—"could do better", **37**
Ketogenic diet again, **124**
Neonatal hyperinsulinism, **150**
Think fuzzy and solve, **524**
Vagal nerve stimulation for epilepsy, **342**
Arieli S *see* Bistritzer T *et al*
Armishaw J, Grant CC. Use of complementary treatment by those hospitalised with acute illness, **133**
Arslan N *see* Ergenekon E *et al*
see Ergenekon E *et al*
Asztalos E *see* Pandit PB *et al*
Atalay Y *see* Ergenekon E *et al*
see Ergenekon E *et al*
Austin JB *et al*. Hay fever, eczema, and wheeze: a nationwide UK study (ISAAC, international study of asthma and allergies in childhood), **225**
Aw MM *et al*. Neonatal paracetamol poisoning: *letter*, **F78**

Baars LGM *see* Neefjes VME *et al*
Baba R *et al*. Role of the oxygen uptake efficiency slope in evaluating exercise tolerance, **73**
Babu R *et al*. Rectal biopsy in the investigation of constipation: *letter*, **189**
Bachir D *see* de Montalembert M *et al*
Bacon CJ *et al*. Case control study of thermal environment preceding haemorrhagic shock encephalopathy syndrome, **155**
Bagott M. Need to consider other causes of poor growth in Gambian children: *letter*, **279**
Baker AJ *see* Aw MM *et al*
Bal CS *see* Deorari AK *et al*
Bal M *see* Cassio A *et al*
Baldwin M *see* Watkin PM and Baldwin M
Balsamo A *see* Cassio A *et al*
Bamford M *see* Mercuri E *et al*
Banerjee K *see* Liaw LCT *et al*
Barash V *see* Nissenkorn A *et al*
Barnes J *see* Conroy RM *et al*
Barnes N *see* Noble-Jamieson G and Barnes N
Barry W *see* El-Radhi AS *et al*
Barson AJ. Unnatural sudden infant death: *letter*, **96**
Barzilai A *see* Linder N *et al*
see Linder N *et al*
Baxter P. Epidemiology of pyridoxine dependent and pyridoxine responsive seizures in the UK, **431**
see Yanai S *et al*
Baxter-Jones ADG *et al*. Influence of socioeconomic conditions on growth in infancy: the 1921 Aberdeen birth cohort, **5**
Beardsmore CS *see* Agrawal L *et al*
Beath SV *see* Mahadevan SBK *et al*
Becker M *see* Behrens R *et al*
Bégué P *see* de Montalembert M *et al*
Behrens R *et al*. Dual versus triple therapy of *Helicobacter pylori* infection: results of a multicentre trial, **68**
Beldjord C *see* Rodriguez-Macias KA *et al*
Bell RAF *see* Rudolf MCJ *et al*
Bell SA *see* Bacon CJ *et al*
Bennett CM *see* Powell CVE *et al*
Berg B, Jones DPH. Outcome of psychiatric intervention in factitious illness by proxy (Munchausen's syndrome by proxy), **465**
Berger TM. Increased aldehyde lipid peroxidation products in premature infants with chronic lung disease: *letter*, **F235**
Berkovitch M *see* Bistritzer T *et al*
Bernaudin F *see* de Montalembert M *et al*
Berney TP *et al*. Behavioural phenotype of Cornelia de Lange syndrome, **333**
Berry PJ *see* Fleming PJ *et al*
Bhasker B *et al*. External hydrocephalus in primary hypomagnesaemia: a new finding, **505**
Bhuyan BC *see* Bhasker B *et al*
Bindl L *see* Behrens R *et al*
Birch JM *see* Evans DGR *et al*
Birtwistle S *see* Anthony HM *et al*
Bistritzer T *et al*. Sodium potassium adenosine triphosphatase activity in preterm and term infants and its possible role in sodium homeostasis during maturation, **F184**
Bjarnason Growth hormone insensitivity: a widening diagnosis: *annotation*, **378**
Blackburn P *see* Stevenson CJ *et al*
Blair PS *see* Fleming PJ *et al*
Blanco CE *see* Neefjes VME *et al*
Bloem BR *et al*. Clomipramine withdrawal in newborns: *letter*, **F77**
Bokhari SA *see* Rennie JM and Bokhari SA
Bonham J *see* Yanai S *et al*
Book reviews Blyth E, Crawshaw M, Speirs J, *editors*. Truth and the Child 10 Years on: Information Exchange in Donor Assisted Conception, **283**
Conroy S, Smith M. Exploring Infant Health, **284**
Denburg JA, *editor*. Allergy and Allergic Diseases—The New Mechanisms and Therapeutics, **98**
Ebel K, *editor*. Differential Diagnosis in Pediatric Radiology, **195**
Eiholzer U, *et al*, editors. Growth, Stature and Psychosocial Well-Being, **284**
Figueroa J, Hall S, Ibarra J. Primary Health Care Guide to Common UK Parasitic Diseases, **98**
Finlay F. Data Interpretation in Paediatrics, **196**
Hurwitz B. Clinical Guidelines and the Law. Negligence, Discretion and Judgment, **284**
Jones P. Living with Haemophilia, **195**
Levene M, *editor*. Paediatrics and Child Health, **460**
Little J. Epidemiology of Childhood Cancer, **285**
Mayon-White R, Moreton J. Immunizing Children: A practical Guide, **195**
Plotnik L, *editor*. Clinical Management of the Child and Teenager with Diabetes, **196**
Primary Ciliary Dyskinesia—How to Treat it and Live with it, *video*, **284**
Ward CO. Eponymists in Medicine: John Langdon Down 1828-1896, a Caring Pioneer, **195**
Booth I *see* Moy R and Booth I
Borkenstein M *see* Schwingshandl J *et al*
Bortoli P *see* Cuttini M *et al*
Brain C *see* Craig F *et al*
Brain J, Brennan L. Where should paediatric surgery be performed?: *letter*, **283**
Branca F *see* Cianfarani S *et al*
Branski D *see* Wilschanski M *et al*
Brennan B, Shalet SM. Reduced bone mineral density at completion of chemotherapy for a malignany: *letter*, **372**
Brennan L *see* Brain J and Brennan L
Bresson J-L *see* Høst A *et al*
Brewster DR *see* Kukuruzovic RH *et al*
Bright A *see* Kukuruzovic RH *et al*
Brna PM *see* Dooley JM *et al*
Broadbent V *see* Mercuri E *et al*
Broady J *see* Agarwal R *et al*
Brouwer OF *see* Bloem BR *et al*
Bruce C *see* Soltani-K H *et al*
Buck J *see* Mercuri E *et al*
Buhrer C *see* Maier RF *et al*
Bull RK *et al*. Bone age assessment: a large scale comparison of the Greulich and Pyle, and Tanner and Whitehouse (TW2) methods, **172**
Bundle A *see* Rudolf MCJ *et al*

VOLUME 81 • AUTHOR INDEX

Abbott R *see* Morley R *et al*
Abernethy LJ *see* Cooke RWI and Abernethy LJ
Adams J *see* Steer AC *et al*
Aebi C. Varicella: to vaccinate or not vaccinate?: *letter*, **279**
Agarwal R *et al*. Nurse-led asthma education and childhood asthma readmission rates: *letter*, **280**
Aggett P *see* Høst A *et al*
Agostoni C *et al*. Growth patterns of breast fed and formula fed infants in the first 12 months of life: an Italian study, **395**
Agrawal L *et al*. Respiratory function in childhood following repair of oesophageal atresia and tracheoesophageal fistula, **404**
Ahmed SR *see* Bhasker B *et al*
Akbar A *et al*. Spontaneous rupture of the diaphragm, **341**
Akpınarlı A *et al*. Effect of formoterol on clinical parameters and lung functions in patients with bronchial asthma: a randomised controlled trial, **45**
Aladjem M *see* Bistritzer T *et al*
Al-Jader L *et al*. Outbreak of *Escherichia coli* O157 in a nursery: lessons for prevention, **60**
Al Khusaiby SM *see* Bhasker B *et al*
Alm B *et al*. Caffeine and alcohol as risk factors for sudden infant death syndrome, **107**
Alton H *see* Akbar A *et al*
Amark K, Sunnegårdh J. The effect of changing attitudes to Down's syndrome in the management of complete atrioventricular septal defects, **151**
Anastasia G *see* Talia K *et al*
Anderson HR *see* Austin JB *et al*
Anderton J *see* Agarwal R *et al*
Anthony HM *et al*. Attention deficit hyperactivity disorder: *letter*, **191**
Appleton RE, Neville BGR. Teenagers with epilepsy: *personal practice*, **76**
Arai J *see* Terai I *et al*
Archivist. APEC, **486**
Chronic pain from the appendix, **403**
Febrile convulsions, rat brains, and scientific pessimism, **472**
Inclusion benefit, **44**
Inflicted head injury—"could do better", **37**
Ketogenic diet again, **124**
Neonatal hyperinsulinism, **150**
Think fuzzy and solve, **524**
Vagal nerve stimulation for epilepsy, **342**
Arieli S *see* Bistritzer T *et al*
Armishaw J, Grant CC. Use of complementary treatment by those hospitalised with acute illness, **133**
Arslan N *see* Ergenekon E *et al*
see Ergenekon E *et al*
Asztalos E *see* Pandit PB *et al*
Atalay Y *see* Ergenekon E *et al*
see Ergenekon E *et al*
Austin JB *et al*. Hay fever, eczema, and wheeze: a nationwide UK study (ISAAC, international study of asthma and allergies in childhood), **225**
Aw MM *et al*. Neonatal paracetamol poisoning: *letter*, **F78**

Baars LGM *see* Neefjes VME *et al*
Baba R *et al*. Role of the oxygen uptake efficiency slope in evaluating exercise tolerance, **73**
Babu R *et al*. Rectal biopsy in the investigation of constipation: *letter*, **189**
Bachir D *see* de Montalembert M *et al*
Bacon CJ *et al*. Case control study of thermal environment preceding haemorrhagic shock encephalopathy syndrome, **155**
Bagott M. Need to consider other causes of poor growth in Gambian children: *letter*, **279**
Baker AJ *see* Aw MM *et al*
Bal CS *see* Deorari AK *et al*
Bal M *see* Cassio A *et al*
Baldwin M *see* Watkin PM and Baldwin M
Balsamo A *see* Cassio A *et al*
Bamford M *see* Mercuri E *et al*
Banerjee K *see* Liaw LCT *et al*
Barash V *see* Nissenkorn A *et al*
Barnes J *see* Conroy RM *et al*
Barnes N *see* Noble-Jamieson G and Barnes N
Barry W *see* El-Radhi AS *et al*
Barson AJ. Unnatural sudden infant death: *letter*, **96**
Barzilai A *see* Linder N *et al*
see Linder N *et al*
Baxter P. Epidemiology of pyridoxine dependent and pyridoxine responsive seizures in the UK, **431**
see Yanai S *et al*
Baxter-Jones ADG *et al*. Influence of socioeconomic conditions on growth in infancy: the 1921 Aberdeen birth cohort, **5**
Beardsmore CS *see* Agrawal L *et al*
Beath SV *see* Mahadevan SBK *et al*
Becker M *see* Behrens R *et al*
Bégué P *see* de Montalembert M *et al*
Behrens R *et al*. Dual versus triple therapy of *Helicobacter pylori* infection: results of a multicentre trial, **68**
Beldjord C *see* Rodriguez-Macias KA *et al*
Bell RAF *see* Rudolf MCJ *et al*
Bell SA *see* Bacon CJ *et al*
Bennett CM *see* Powell CVE *et al*
Berg B, Jones DPH. Outcome of psychiatric intervention in factitious illness by proxy (Munchausen's syndrome by proxy), **465**
Berger TM. Increased aldehyde lipid peroxidation products in premature infants with chronic lung disease: *letter*, **F235**
Berkovitch M *see* Bistritzer T *et al*
Bernaudin F *see* de Montalembert M *et al*
Berney TP *et al*. Behavioural phenotype of Cornelia de Lange syndrome, **333**
Berry PJ *see* Fleming PJ *et al*
Bhasker B *et al*. External hydrocephalus in primary hypomagnesaemia: a new finding, **505**
Bhuyan BC *see* Bhasker B *et al*
Bindl L *see* Behrens R *et al*
Birch JM *see* Evans DGR *et al*
Birtwistle S *see* Anthony HM *et al*
Bistritzer T *et al*. Sodium potassium adenosine triphosphatase activity in preterm and term infants and its possible role in sodium homeostasis during maturation, **F184**
Bjarnason Growth hormone insensitivity: a widening diagnosis: *annotation*, **378**
Blackburn P *see* Stevenson CJ *et al*
Blair PS *see* Fleming PJ *et al*
Blanco CE *see* Neefjes VME *et al*
Bloem BR *et al*. Clomipramine withdrawal in newborns: *letter*, **F77**
Bokhari SA *see* Rennie JM and Bokhari SA
Bonham J *see* Yanai S *et al*
Book reviews Blyth E, Crawshaw M, Speirs J, *editors*. Truth and the Child 10 Years on: Information Exchange in Donor Assisted Conception, **283**
Conroy S, Smith M. Exploring Infant Health, **284**
Denburg JA, *editor*. Allergy and Allergic Diseases—The New Mechanisms and Therapeutics, **98**
Ebel K, *editor*. Differential Diagnosis in Pediatric Radiology, **195**
Eiholzer U, *et al*, editors. Growth, Stature and Psychosocial Well-Being, **284**
Figueroa J, Hall S, Ibarra J. Primary Health Care Guide to Common UK Parasitic Diseases, **98**
Finlay F. Data Interpretation in Paediatrics, **196**
Hurwitz B. Clinical Guidelines and the Law. Negligence, Discretion and Judgment, **284**
Jones P. Living with Haemophilia, **195**
Levene M, *editor*. Paediatrics and Child Health, **460**
Little J. Epidemiology of Childhood Cancer, **285**
Mayon-White R, Moreton J. Immunizing Children: A practical Guide, **195**
Plotnik L, *editor*. Clinical Management of the Child and Teenager with Diabetes, **196**
Primary Ciliary Dyskinesia—How to Treat it and Live with it, *video*, **284**
Ward CO. Eponymists in Medicine: John Langdon Down 1828-1896, a Caring Pioneer, **195**
Booth I *see* Moy R and Booth I
Borkenstein M *see* Schwingshandl J *et al*
Bortoli P *see* Cuttini M *et al*
Brain C *see* Craig F *et al*
Brain J, Brennan L. Where should paediatric surgery be performed?: *letter*, **283**
Branca F *see* Cianfarani S *et al*
Branski D *see* Wilschanski M *et al*
Brennan B, Shalet SM. Reduced bone mineral density at completion of chemotherapy for a malignany: *letter*, **372**
Brennan L *see* Brain J and Brennan L
Bresson J-L *see* Høst A *et al*
Brewster DR *see* Kukuruzovic RH *et al*
Bright A *see* Kukuruzovic RH *et al*
Brna PM *see* Dooley JM *et al*
Broadbent V *see* Mercuri E *et al*
Broady J *see* Agarwal R *et al*
Brouwer OF *see* Bloem BR *et al*
Bruce C *see* Soltani-K H *et al*
Buck J *see* Mercuri E *et al*
Buhrer C *see* Maier RF *et al*
Bull RK *et al*. Bone age assessment: a large scale comparison of the Greulich and Pyle, and Tanner and Whitehouse (TW2) methods, **172**
Bundle A *see* Rudolf MCJ *et al*

Burch M *see* Westaby S *et al*
Burgner D *et al.* Nitric oxide and infectious diseases: *current topic*, 185
Burn J *see* Berney TP *et al*
Burr M *see* Austin JB *et al*
Bush D *see* Washington N *et al*
Butler D *see* Lawson SE *et al*
Byard RW *see* Dewan PA *et al*
Byth K *see* Hannaford K *et al*

Cacciari E *see* Cassio A *et al*
Calvert S *see* Johnson A *et al*
Camadoo L *see* Babu R *et al*
Campbell H *see* Gove S *et al*
Campbell ME *et al.* Tonometry to estimate intestinal perfusion in newborn piglets, **F105**
Candusso M *see* de Curtis M *et al*
Capel L *see* Trioche P *et al*
Capra M *see* Robinson RO *et al*
Cardy AH *see* Baxter-Jones ADG *et al*
Carlin J *see* Steer AC *et al*
Carlin JB *see* Powell CVE *et al*
Carrol ED *et al.* The role of the Glasgow meningococcal septicaemia prognostic score in the emergency management of meningococcal disease: *letter*, **281**
Casey FA *see* Sands AJ *et al*
Cassio A *et al.* Randomised trial of LHRH analogue treatment on final height in girls with onset of puberty aged 7.5–8.5 years, **329**
CESDI SUDI Research Team *see* Fleming PJ *et al*
Chalas J *see* Trioche P *et al*
Chalmers I. Controlled trials from history: *letter*, **281**
Chan MKH *et al.* Acute appendicitis in children after renal transplantation: *letter*, **373**
Cheasty T *see* Al-Jader L *et al*
Cheetham TD *see* Wright CM and Cheetham TD
Chessells JM *see* Craze JL *et al*
see Rees H *et al*
Cheung P-Y *see* Campbell ME *et al*
Chong WK *see* Ganesan V *et al*
Cianfarani S *et al.* Low birthweight and adult insulin resistance: the "catch-up growth" hypothesis: *current topic*, **F71**
Clarke JR *see* Akbar A *et al*
Coe C *see* Spencer NJ and Coe C
Cohen AH *see* Linder N *et al*
Collins CE *et al.* Normal growth in cystic fibrosis associated with a specialised centre, **241**
Colucci E *see* Pandit PB *et al*
Colver AF *see* Posner EB and Colver AF
Colvin M *see* Forsyth JS *et al*
Condron SK *see* Dewan PA *et al*
Connelly A *see* Ganesan V *et al*
Conroy RM *et al.* Solar disinfection of water reduces diarrhoeal disease: an update, **337**
Conway SP. Opportunistic immunisation in hospital, **422**
Cooke RJ *see* Griffin IJ *et al*
see Griffin IJ *et al*
Cooke RWI, Abernethy LJ. Cranial magnetic resonance imaging and school performance in very low birth weight infants in adolescence, **F116**
Corbally MT *see* Quinn FMJ *et al*
Coulthard MG *see* Liaw LCT *et al*
Coulthard MG, Hey EN. Renal processing of glucose in well and sick neonates, **F92**
Craft AW *see* Shabde N and Craft AW
Craig BG *see* Sands AJ *et al*
Craig F *et al.* Sexually dimorphic and radiation dose dependent effect of cranial irradiation on body mass index, **500**
Craze JL *et al.* Improved outcome of acute myeloid leukaemia in Down's syndrome, **32**
Cross JH. Update on surgery for epilepsy: *current topic*, **356**
Currie AE *see* Vyas JR *et al*
Cuttini M *et al.* Parental visiting, communication, and participation in ethical decisions: a comparison of neonatal unit policies in Europe, **F84**

Damman A *see* Rudolf MCJ *et al*
Daniëls H *et al.* Polysomnography and home documented monitoring of cardiorespiratory pattern, **434**
Davidovitch N *see* Linder N *et al*
Davies MJ *et al.* Persistent nocturnal cough: randomised controlled trial of high dose inhaled corticosteroid, **38**
Davies MW *see* Mehr SS and Davies MW
Davies PSW *see* Wells JCK and Davies PSW
Davis JA. Unnatural sudden infant death: *letter*, **96**
de Beaufort AJ *see* Bloem BR *et al*
de Curtis M *et al.* Effect of fortification on the osmolality of human milk, **F141**
Degefu H *see* Muhe L *et al*
de Leeuw R *see* Cuttini M *et al*
de Montalembert M *et al.* Preliminary report of a toxicity study of hydroxyurea in sickle cell disease, **437**
Deorari AK *see* Thayyil-Sudhan S *et al*
Deorari AK *et al.* Randomised controlled trial of cisapride in preterm neonates for gastric emptying time: *letter*, **F159**
Deroost F *see* Daniëls H *et al*
deSilva V *see* Bhasker B *et al*
Devictor D *see* Simon L *et al*
Devlieger H *see* Daniëls H *et al*
de Vonderweid U *see* Cuttini M *et al*
de Vries LS *see* Toet MC *et al*
Dewan PA *et al.* Plastic migration from implanted central venous access devices, **71**
de Wet PM *et al.* Allicin: a possible answer to antibiotic resistant campylobacter diarrhoeal infection?: *letter*, **278**
Dhawan A *see* Aw MM *et al*
di Bello D *see* Marchi AG *et al*
Dibley MJ *see* Wan C *et al*
Dick AC *see* Quinn FMJ *et al*
DiGuiseppi C *et al.* Smoke alarm installation and function in inner London council housing, **400**
see Roberts I and DiGuiseppi C
di Mario S *see* Tamburlini G *et al*
Dion X. Infant feeding and atopic disease: *letter*, **190**
Dodge JA. Colonic wall thickness and pancreatic enzymes in cystic fibrosis: *letter*, **97**
Dooley JM *et al.* Parent perceptions of symptom severity in Tourette's syndrome, **440**
Dornan JC *see* Sands AJ *et al*
Drake DP *see* Babu R *et al*
Dreborg S *see* Høst A *et al*
Duflos C *see* Rodriguez-Macias KA *et al*
Duke T. Dysoxia and lactate: *review*, **343**
Dulac O *see* Nabbout R *et al*
Dulitzky M *see* Ornoy A *et al*
Dunger DB *see* Edge JA *et al*
see Matyka KA *et al*
Dunn K *see* Kukuruzovic RH *et al*
Dunn MS *see* Pandit PB *et al*
Dunn PM. Bartholomew Mosse (1712–59), Sir Fielding Ould (1710–89), and the Rotunda Hospital, Dublin: *perinatal lesson*, **F74**
John Braxton Hicks (1823–97) and painless uterine contractions: *perinatal lesson*, **F157**
The Chamberlen family (1560–1728) and obstetric forceps: *perinatal lesson*, **F232**

Eatock EM *see* Stiller CA and Eatock EM
Edge JA *et al.* Causes of death in children with insulin dependent diabetes 1990–96, **318**
Edmunds AT *see* Iles R *et al*
Edwards AD *see* Meek JH *et al*
Edwards PD *see* Bull RK *et al*
Eggert P *see* Jonat S *et al*
Eibl B *see* Schwingshandl J *et al*
Eken P *see* Toet MC *et al*
Elmore Meegan M *see* Conroy RM *et al*
El-Radhi AS *et al.* Association of fever and severe clinical course in bronchiolitis, **231**
Elwell CE *see* Meek JH *et al*
see Meek JH *et al*
Enayat MS *see* Lawson SE *et al*
Enquesellassie F *see* Muhe L *et al*
Erduran E *see* Mocan H *et al*
Ergenekon E *et al.* Incubator oxygen concentrations during free flow oxygen treatment: *letter*, **F235**
Incubator oxygen concentrations during free flow oxygen treatment: *letter*, **F236**
Eroğlu D *see* Ergenekon E *et al*
see Ergenekon E *et al*
Evans DGR *et al.* Paediatric presentation of type 2 neurofibromatosis, **496**
Evans MJ, Keeling JW. Histological changes in the hearts of non-survivors of the UK Collaborative Trial of Neonatal ECMO (extra corporeal membrane oxygen), **F30**
Evans S *see* Bistritzer T *et al*
Evans TJ *see* Ling SC *et al*
see Reilly JJ *et al*
Evelo CTA *see* Neefjes VME *et al*
Evmorfia D *see* Talia K *et al*
Ewer AK *et al.* Prone and left lateral positioning reduce gastro-oesophageal reflux in preterm infants, **F201**

Faber J *see* Wilschanski M *et al*
Fairweather-Tait S *see* Morley R *et al*
Fatal-Valevski A *see* Nissenkorn A *et al*
Feldman W *see* Haney I *et al*
Ferrie CD. EEG and epilepsy: *letter*, **191**
see Robinson RO *et al*
Field D. Evidence in perinatal medicine: enough of trial and error?: *annotation*, **F161**
Field DJ *see* Vyas JR *et al*
Finlay F *see* Wagstaff M *et al*
Fleming PJ *et al.* Pacifier use and sudden infant death syndrome: results from the CESDI/SUDI case control study, **112**

Foot ABM *see* Moppett J *et al*
Ford-Adams ME *see* Edge JA *et al*
Forsgren M *see* Malm G and Forsgren M
Forsyth JS *et al.* A randomised controlled study of the effect of long chain polyunsaturated fatty acid supplementation on stool hardness during formula feeding, **253**
Francavilla R *see* Shapira R *et al*
Francoual J *see* Trioche P *et al*
Franklin O *see* Westaby S *et al*
Fraser RB *see* Soltani-K H *et al*
French Study Group on Sickle Cell Disease *see* de Montalembert M *et al*
Fry S *see* Bull RK *et al*
Fugelseth D *et al.* Ductus venosus blood velocity in persistent pulmonary hypertension of the newborn, **F35**
Fuller P *see* Davies MJ *et al*

Galanakis E. Maternal–fetal conflict, Moses Maimonides, and the Christian Church: *letter*, **F236**
Ganesan V *et al.* Lesion volume, lesion location, and outcome after middle cerebral artery territory stroke, **295**
Garner M *see* Rudolf MCJ *et al*
Gaventa JM *see* Bacon CJ *et al*
Gazzola G *see* Marchi AG *et al*
Germani D *see* Cianfarani S *et al*
Giancaspro E *see* Ramos JT *et al*
Gianni ML *see* Agostoni C *et al*
Gilbert GL *see* Hannaford K *et al*
Gill L *see* Spencer NJ *et al*
Giovannini M *see* Agostoni C *et al*
Go T. ACTH treatment for gelastic seizures: *letter*, **278**
Goldberg M *see* Bistritzer T *et al*
see Wilschanski M *et al*
Golding J *see* Fleming PJ *et al*
González-Requejo A *see* Sánchez-Bayle M *et al*
Goodman TR, McHugh K. The role of radiology in the evaluation of stridor: *current topic*, **456**
Gordon KE *see* Dooley JM *et al*
Govaert P *et al.* Neonatal focal temporal lobe or atrial wall haemorrhagic infarction, **F211**
Gove S *et al.* Development and technical basis of simplified guidelines for emergency triage assessment and treatment in developing countries, **473**
see Tamburlini G *et al*
Grandi F *see* Agostoni C *et al*
Grant CC *see* Armishaw J and Grant CC
Green SH *see* Akbar A *et al*
Greenbaum NRC *see* Ornoy A *et al*
Greenough A *see* Johnson A *et al*
Greenwood DC *see* Bacon CJ *et al*
Griffin IJ *et al.* Iron nutritional status in preterm infants fed formula fortified with iron, **F45**
Knee–heel length measurement in healthy preterm infants, **F50**
Grimsley C, Thomson AH. Pharmacokinetics and dose requirements of vancomycin in neonates, **F221**
Groenendaal F *see* Toet MC *et al*
Group US *see* Johnson A *et al*
Grover S *see* Jaquiery A *et al*
Grundy R *see* Koziell A and Grundy R
Guiney EJ *see* Quinn FMJ *et al*
Gupta R *et al.* Individualised pulse oximetry limits in neonatal intensive care, **F194**
Guthrie P *see* Yanai S *et al*
Gutman A *see* Nissenkorn A *et al*

Haack D *see* Heckmann M *et al*
Haase A *see* Kukuruzovic RH *et al*
Hadžic N *see* Shapira R *et al*
Haddadin I *see* Moppett J *et al*
Hall DMB. School nursing: past, present, and future: *current topic*, **181**
Hallman M *see* Pelkonen AS *et al*
Hammerman C *see* Kaplan M *et al*
Haney I *et al.* Accuracy of clinical assessment of heart murmurs by office based (general practice) paediatricians, **409**
Hann IM *see* Craze JL *et al*
see Rees H *et al*
Hannaford K *et al.* Role of *Ureaplasma urealyticum* in lung disease of prematurity, **F162**
Hansen G *see* Cuttini M *et al*
Harel S *see* Nissenkorn A *et al*
Harkins LS *see* Austin JB *et al*
Harrison G *see* Craze JL *et al*
Hart CA *see* Carrol ED *et al*
Hart CA, Winstanley C. Pseudomonas and all that: *annotation*, **2**
Harvey D *see* Cuttini M *et al*
Hassold TJ *see* Shield JPH *et al*
Hatherill M *et al.* Diagnostic markers of infection: comparison of procalcitonin with C reactive protein and leucocyte count, **417**
Heales S *see* Yanai S *et al*
Heaton PAJ *et al.* Congenital nephrotic syndrome responsive to captopril and indometacin, **174**
Heckmann M *et al.* Reference range for serum cortisol in well preterm infants, **F171**
Hellström-Westas L *see* Toet MC *et al*
Helms PJ *see* Baxter-Jones ADG *et al*
Helweg-Larsen K *see* Alm B *et al*
Heneyke S *et al.* Chronic intestinal pseudo-obstruction: treatment and long term follow up of 44 patients, **21**
Henry RL *see* Collins CE *et al*
Hernell O *see* Høst A *et al*
Hey E. Effect of maternal anticonvulsant treatment on neonatal blood coagulation, **F208**
Hey EN *see* Coulthard MG and Hey EN
Heymans H *see* Høst A *et al*
Higashino K *see* Yamamoto T *et al*
Hobbs CJ, Wynne J. How to manage warts: *letter*, **460**
Hodes D *et al.* Pretrial liaison between doctors in alleged child abuse: *letter*, **192**
Hogg G *see* Jaquiery A *et al*
Hollman AS *see* Ling SC *et al*
Honda A *see* Kitazawa K *et al*
Hoskyns W. BCG and tuberculosis: *letter*, **279**
Høst A *et al.* Dietary products used in infants for treatment and prevention of food allergy. Joint statement of the European Society for Paediatric Allergology and Clinical Immunology (ESPACI) Committee on Hypoallergenic Formulas and the European Society for Paediatric Gastroenterology, Hepatology and Nutrition (ESPGHAN) Committee on Nutrition: *special report*, **80**
Houang M *see* Rodriguez-Macias KA *et al*
Hughes IA *see* Bull RK *et al*
Hull D. Birth of a formulary: *annotation*, **197**
Hunter S *see* Turner SW *et al*
Husson B *see* Simon L *et al*
Hutton JL *see* Maudsley G *et al*

Ichihara N *see* Terai I *et al*
Ikoma M *see* Baba R *et al*
Iles R *et al.* Crying significantly reduces absorption of aerosolised drug in infants, **163**
Inakawa N *see* Kitazawa K *et al*
Ipp M *see* Haney I *et al*
Ireland M *see* Berney TP *et al*
Irgens LM *see* Alm B *et al*

Jackson SJ *see* Washington N *et al*
Jacobs PA *see* Shield JPH *et al*
James ME *see* Ewer AK *et al*
Jaquiery A *et al.* Vulvovaginitis: clinical features, aetiology, and microbiology of the genital tract, **64**
Jeffery H *see* Hannaford K *et al*
Johansson C *see* Samuelsson U *et al*
John E *see* Hannaford K *et al*
Johnson A *et al.* Multicentre trial of high frequency ventilation: *letter*, **F160**
Johnson PDR *see* Powell CVE *et al*
Jonat S *et al.* Effect of DDAVP on nocturnal enuresis in a patient with nephrogenic diabetes insipidus, **57**
Jones CA, Warner JO. Umbilical cord blood transplantation: *letter*, **282**
Jones DPH *see* Berg B and Jones DPH
Joyce T *see* Conroy RM *et al*
Judis LA *see* Shield JPH *et al*
Jungbluth H *see* Mercuri E *et al*

Kalaycı Ö *see* Akpınarlı A *et al*
Kamińska B *see* Szarszewski A *et al*
Kaminski M *see* Cuttini M *et al*
Kapila L *see* Washington N *et al*
Kaplan M *et al.* Neonatal bilirubin production, reflected by carboxyhaemoglobin concentrations, in Down's syndrome, **F56**
Karaman H *see* Ergenekon E *et al*
see Ergenekon E *et al*
Karpathios T *see* Talia K *et al*
Kaur B *see* Austin JB *et al*
Kaur V *see* Rudolf MCJ *et al*
Kawate K *see* Kitazawa K *et al*
Keeling JW *see* Evans MJ and Keeling JW
Keller KM *see* Behrens R *et al*
Kelly DA *see* Mahadevan SBK *et al*
Kemp PM *see* Bull RK *et al*
Khan M *see* Rudolf MCJ *et al*
Kiely EM *see* Babu R *et al*
Kim NS *see* Zhang J *et al*
Kirkham FJ. Stroke in childhood: *current topic*, **85**
see Ganesan V *et al*
Kiserud T *see* Fugelseth D *et al*
Kitazawa K *et al.* Botryoid neutrophils in unexpected heat stroke: *letter*, **194**
Kobayashi K *see* Terai I *et al*
Koch C *see* Laursen EM *et al*
Kogan A *see* Linder N *et al*
Kohli N *see* Kumar R *et al*

Koletzko B *see* Høst A *et al*
Korzon M *see* Szarszewski A *et al*
Kotecha S *see* Vyas JR *et al*
Köttgen E *see* Maier RF *et al*
Koukulis G *see* Shapira R *et al*
Koziell A, Grundy R. Frasier and Denys-Drash syndromes: different disorders or part of a spectrum?: *current topic*, **365**
Kreuz W *see* Mentzer D and Kreuz W
Kuint J *see* Linder N *et al*
see Linder N *et al*
Kukuruzovic RH *et al.* Intestinal permeability and diarrhoeal disease in Aboriginal Australians, **304**
Kumar A *see* Thayyil-Sudhan S *et al*
Kumar R *et al.* A diagnostic rule for tuberculous meningitis, **221**
Kurosawa Y *see* Yamamoto T *et al*
Kuster P *see* Behrens R *et al*
Kwiatkowski D *see* Burgner D *et al*

Labrune P *see* Trioche P *et al*
Lafeber H *see* Høst A *et al*
Lagercrantz H *see* Alm B *et al*
Lammers GJ *see* Bloem BR *et al*
Lang T *see* Behrens R *et al*
Langslet A *see* Fugelseth D *et al*
Larcher V. Role of clinical ethics committees: *annotation*, **104**
see Hodes D *et al*
Lask B. Difficult asthma: beyond the guidelines: *letter*, **373**
Lass P *see* Szarszewski A *et al*
Lastovica AJ *see* de Wet PM *et al*
Laursen EM *et al.* Bone mineral status in 134 patients with cystic fibrosis, **235**
Lawson SE *et al.* Congenital thrombophilia and thrombosis: a study in a single centre, **176**
Leach C *see* Fleming PJ *et al*
Lee J *et al.* Blood pressure standards for very low birthweight infants during the first day of life, **F168**
Leiper AD *see* Craig F *et al*
Lenard H *see* Cuttini M *et al*
Lenoir S *see* Cuttini M *et al*
Lerman-Sagie T *see* Nissenkorn A *et al*
Leung W-C. Effect of environmental tobacco smoke on peak flow variability: *letter*, **372**
Lev D *see* Nissenkorn A *et al*
Liaw LCT *et al.* Dose related growth response to indometacin in Gitelman syndrome, **508**
Liestøl K *see* Fugelseth D *et al*
Lindemann R *see* Fugelseth D *et al*
Lindenbaum A *see* Trioche P *et al*
Linder N *et al.* Longitudinal measurements of 17*α*-hydroxyprogesterone in premature infants during the first three months of life, **F175**
Unexplained fever in neonates may be associated with hepatitis B vaccine, **F206**
Lindley K *see* Shah N *et al*
Ling SC *et al.* The evolution of liver disease in cystic fibrosis, **129**
Lister P *see* Iles R *et al*
Liu Z *see* Wan C *et al*
Logan S *see* Spencer NJ *et al*
López-Laso E *see* Ramos JT *et al*
Louis DS *see* Shah N *et al*
Lubin D *see* Linder N *et al*
Lucas A *see* Morley R *et al*
Ludvigsson J *see* Samuelsson U *et al*

Maberly DJ *see* Anthony HM *et al*
MacDonald-Wicks L *see* Collins CE *et al*
MacFadyen U *see* Morley R *et al*
MacFadyen UM *see* Agrawal L *et al*
Macfarlane A. Rationing in child health services: a personal view: *annotation*, **1**
McColl J *see* Ling SC *et al*
McCormick DC *see* Meek JH *et al*
McCormick KPB *see* Griffin IJ *et al*
McCrindle BW *see* Haney I *et al*
McDermott MB *see* Quinn FMJ *et al*
McGuigan K *see* Conroy RM *et al*
McHugh K *see* Goodman TR and McHugh K
McKenzie SA *see* Davies MJ *et al*
McKiernan PJ *see* Mahadevan SBK *et al*
McLellan N. NHS Direct: here and now: *annotation*, **376**
McNabb S, Whitehouse W. Cluster headache-like disorder in childhood, **511**
McNinch AW *see* Tripp JH and McNinch AW
Madero S *see* Ramos JT *et al*
Maemoto T *see* Kitazawa K *et al*
Maggi RS *see* Tamburlini G *et al*
Mahadevan SBK *et al.* The vitamin K debacle and infants with cholestatic liver disease: *letter*, **281**
Maier RF *et al.* HFE gene mutation and transferrin saturation in very low birthweight infants, **F144**
Maisey MN *see* Robinson RO *et al*
Malm G, Forsgren M. Neonatal herpes simplex virus infections: HSV DNA in cerebrospinal fluid and serum, **F24**
Mann C *see* Trawöger R *et al*
Manzar S. Neonatal diabetes and severe intracerebral haemorrhage: *letter*, **F77**
Manzur AY *see* Mercuri E *et al*
Marchi AG *et al.* Permanent sequelae in sports injuries: a population based study, **324**
Marlow N *see* Johnson A *et al*
Mather M. Adoption: a forgotten paediatric speciality, **492**
Matsui K *see* Yamamoto T *et al*
Matthys E *see* Govaert P *et al*
Matyka KA *et al.* Cognitive function and mood after profound nocturnal hypoglycaemia in prepubertal children with conventional insulin treatment for diabetes, **138**
Maudsley G *et al.* Cause of death in cerebral palsy: a descriptive study, **390**
Mayes DC *see* Campbell ME *et al*
Mazkeret R *see* Linder N *et al*
Meek JH *et al.* Abnormal cerebral haemodynamics in perinatally asphyxiated neonates related to outcome, **F110**
Low cerebral blood flow is a risk factor for severe intraventricular haemorrhage, **F15**
Mehr SS, Davies MW. Clotting profiles and coagulation factors: *letter*, **F77**
Meller ST *see* Craig F *et al*
Mentzer D, Kreuz W. CMV coinfection and disease progression in vertically acquired HIV infection: *letter*, **193**
Mercuri E *et al.* Vincristine treatment revealing asymptomatic hereditary motor sensory neuropathy type 1A, **442**
Messi G *see* Marchi AG *et al*
Metcalfe K. Williams syndrome: an update on clinical and molecular aspects: *annotation*, **198**
Michaelsen KF *see* Høst A *et al*
see Laursen EM *et al*
see Mølgaard C *et al*
Micheau M *see* de Montalembert M *et al*
Micheli J-L *see* Høst A *et al*
Mieli-Vergani G *see* Aw MM *et al*
see Shapira R *et al*
Migdaleni T *see* Talia K *et al*
Milford DV. Investigation of hypertension and the recognition of monogenic hypertension: *current topic*, **452**
Milla PJ *see* Heneyke S *et al*
see Shah N *et al*
Millotte B *see* Simon L *et al*
Mitchell EA *et al.* Use of duvets and the risk of sudden infant death syndrome, **117**
Mocan H *et al.* Breath holding spells in 91 children and response to treatment with iron, **261**
Mølgaard C *et al.* Whole body bone mineral accretion in healthy children and adolescents, **10**
see Laursen EM *et al*
Molyneux E *see* Gove S *et al*
Mönch E *see* Maier RF *et al*
Moppett J *et al.* Neonatal neuroblastoma, **F134**
Moriwaki Y *see* Yamamoto T *et al*
Morley C. Continuous distending pressure: *personal practice*, **F152**
Morley R *et al.* Iron fortified follow on formula from 9 to 18 months improves iron status but not development or growth: a randomised trial, **247**
Morreau PN *see* Dewan PA *et al*
Morrison N *see* Tobias ES *et al*
Mörtl M *see* Trawöger R *et al*
Moy R, Booth I. Less diarrhoea but no change in growth: 15 years' data from three Gambian villages: *letter*, **278**
Mughal Z *see* Agarwal R *et al*
Muhe L *et al.* Clinical algorithm for malaria during low and high transmission seasons, **216**
Mulholland HC *see* Sands AJ *et al*
Muller J *see* Laursen EM *et al*
Mumford SE. Children of the 90s: ethical guidance for a longitudinal study: *review*, **F146**
Children of the 90s II: challenges for the ethics and law committee: *review*, **F228**
Muñoz-Fernández MT *see* Sánchez-Bayle M *et al*
Muntoni F *see* Mercuri E *et al*
Muraro A *see* Høst A *et al*
Murdoch IA *see* Hatherill M *et al*
Murray S *see* Wagstaff M *et al*

Nabbout R *et al.* Pyridoxine dependent epilepsy: a suggestive electro-clinical pattern, **F125**
Nadel S *see* Reynolds L *et al*
Nagano Y *see* Baba R *et al*
Nagashima M *see* Baba R *et al*
Nair TMR *see* Bhasker B *et al*
Nakamura H *see* Waku S *et al*
Nakanishi K *see* Yamamoto T *et al*
Naulaers G *see* Daniëls H *et al*
Neefjes VME *et al.* Erythrocyte glutathione S transferase as a marker of oxidative stress at birth, **F130**

Neville BGR *see* Appleton RE and Neville BGR
Ng V *see* Ganesan V *et al*
Nichani S. Albumin: saint or sinner?: *letter*, **191**
Nicholl RM. Antenatally diagnosed renal pelvis dilatation: *letter*, **F160**
Nishibata K *see* Baba R *et al*
Nishio H *see* Waku S *et al*
Nissenkorn A *et al*. Multiple presentation of mitochondrial disorders, **209**
Noble-Jamieson G, Barnes N. Diagnosis and management of late complications after liver transplantation: *current topic*, **446**
Nolan T *see* Steer AC *et al*
Nolan TM *see* Powell CVE *et al*
Nordic Epidemiological SIDS Study *see* Alm B *et al*
Norvenius G *see* Alm B *et al*
Nussey SS *see* Craig F *et al*

O'Brien K *see* Pandit PB *et al*
Obser T *see* Jonat S *et al*
Odièvre M *see* Trioche P *et al*
Okamura H *see* Yamamoto T *et al*
Oljira B *see* Muhe L *et al*
O'Loughlin EV *see* Collins CE *et al*
Oostra A *see* Govaert P *et al*
Orhan F *see* Mocan H *et al*
Ornoy A *et al*. Neurodevelopmental outcome at early school age of children born to mothers with gestational diabetes, **F10**
Orzalesi M *see* Cuttini M *et al*
O'Sullivan J, Ryan CA. No strings attached: preventing deaths from children's clothing: *letter*, **282**
Øyen N *see* Alm B *et al*

Panayiotopoulos CP. Typical absence seizures and their treatment: *current topic*, **351**
Pandit PB *et al*. Outcome following pulmonary haemorrhage in very low birthweight neonates treated with surfactant, **F40**
Pang NM *see* Griffin IJ *et al*
Papadimitriou A *see* Talia K *et al*
Parikh DH *see* Akbar A *et al*
Parker M *see* Washington N *et al*
Patel S *see* El-Radhi AS *et al*
Paton JY *see* Ling SC *et al*
see Reilly JJ *et al*
Paul VK *see* Deorari AK *et al*
see Thayyil-Sudhan S *et al*
Pelkonen AS *et al*. Peripheral blood lymphocyte subpopulations in schoolchildren born very preterm, **F188**
Peng C-T *see* Su B-H *et al*
Penny DJ *see* Zhang J *et al*
Perreaux F *see* Simon L *et al*
Perring J *see* Griffin IJ *et al*
Persson J *see* Cuttini M *et al*
Pharoah POD *see* Maudsley G *et al*
see Stevenson CJ *et al*
Phillips AD *see* Walker-Smith JA and Phillips AD
Phillips DO *see* Baxter-Jones ADG *et al*
Phillips MR *see* Wan C *et al*
Picciotto A *see* Davies MJ *et al*
Pieltain C *see* de Curtis M *et al*
Pierro A *see* Babu R *et al*
Platt MW *see* Fleming PJ *et al*
Playfor S *et al*. The way ahead with meningococcal disease: *letter*, **193**
Plouin P *see* Nabbout R *et al*
Pohlandt F *see* Heckmann M *et al*
Pollard K *see* Fleming PJ *et al*
Polyxeni N *see* Talia K *et al*
Porter HJ. Pulmonary hypoplasia: *annotation*, **F81**
Posner EB, Colver AF. Thyroid dysfunction in Down's syndrome: relation to age and thyroid autoimmunity: *letter*, **283**
Poulton J *see* Mercuri E *et al*
Powell CVE *et al*. Respiratory symptoms and duration of residence in immigrant teenagers living in Melbourne, Australia, **159**
Pramming S *see* Matyka KA *et al*
Pretzlik U, Sylva A. Paediatric patients' distress and coping: an observational measure: *current topic*, **528**
Paediatric patients' distress and coping during medical treatment: a self report measure: *current topic*, **525**
Price JF *see* Shapira R *et al*

Quinn FMJ *et al*. Xanthogranulomatous pyelonephritis in childhood, **483**

Raghupathy P *see* Bhasker B *et al*
Rahman F *et al*. Mothering to death: *letter*, **374**
Rajadurai VS *see* Lee J *et al*
Ramos JT *et al*. B cell non-Hodgkin's lymphoma in a girl with the DiGeorge anomaly, **444**
Ramsay M. Rotavirus: a new vaccine for the UK?: *annotation*, **101**
Ramsden RT *see* Evans DGR *et al*
Rappaport R *see* Rodriguez-Macias KA *et al*
Rappoport MJ *see* Bistritzer T *et al*
Raz M *see* Linder N *et al*
Rebagliato M *see* Cuttini M *et al*
Reddy PS *see* Deorari AK *et al*
Rees H *et al*. Are glomerular filtration rate estimations necessary before high dose methotrexate?, **339**
Reichman B *see* Linder N *et al*
Reid M *see* Cuttini M *et al*
Reid MM *see* Griffin IJ *et al*
Reilly JJ *et al*. Adequacy of clinical formulae for estimation of energy requirements in children with cystic fibrosis, **120**
Rennie JM, Bokhari SA. Recent advances in neonatology: *annotation*, **F1**
Reynolds L *et al*. Neonatal varicella: varicella zoster immunoglobulin (VZIG) does not prevent disease, **F69**
Rigo J *see* de Curtis M *et al*
see Høst A *et al*
Riha K *see* Trawöger R *et al*
Riordan FAI *see* Carrol ED *et al*
Rittey C *see* Yanai S *et al*
Riva E *see* Agostoni C *et al*
Roberts I *see* DiGuiseppi C *et al*
Roberts I, DiGuiseppi C. Injury prevention: *annotation*, **200**
Robinson G *see* Rudolf MCJ *et al*
Robinson RO *et al*. Positron emission tomography and the central nervous system: *current topic*, **263**
Robson H. Bone growth mechanisms and the effects of cytotoxic drugs: *current topic*, **360**
Rockett K *see* Burgner D *et al*
Rode H *see* de Wet PM *et al*
Rodeck B *see* Behrens R *et al*
Rodriguez M *see* Shah N *et al*
Rodriguez-Macias KA *et al*. Follow up of precocious pseudopuberty associated with isolated ovarian follicular cysts, 53
Rogers J *see* Sands AJ *et al*
Roofthooft DWE *see* Bloem BR *et al*
Rowe S *see* Collins CE *et al*
Rudolf MCJ *et al*. Exploring the scope for advocacy by paediatricians, **515**
Ruge S *see* Rudolf MCJ *et al*
Ruiz-Contreras J *see* Ramos JT *et al*
Rutherford M. Cranial magnetic resonance imaging and school performance in very low birth weight infants in adolescence: *commentary*, **F116**
Ryan CA *see* O'Sullivan J and Ryan CA

Sack J *see* Linder N *et al*
Salmon RL *see* Al-Jader L *et al*
Samuels MP, Southall D. Recurrent apparent life threatening events and intentional suffocation: *letter*, **189**
Samuelsson U *et al*. Month of birth and risk of developing insulin dependent diabetes in south east Sweden, **143**
Sánchez-Bayle M *et al*. A longitudinal study of blood pressure in Spanish schoolchildren, **169**
Sands AJ *et al*. Incidence and risk factors for ventricular septal defect in "low risk" neonates, **F61**
Santer R *see* Jonat S *et al*
Saracci R *see* Cuttini M *et al*
Saraçlar Y *see* Akpınarlı A *et al*
Sarmah A. Transitional care of young disabled people: *letter*, **191**
Sasaki Y *see* Yamamoto T *et al*
Savage MO *see* Bjarnason
Schapira D *see* Slack MH and Schapira D
Schneppenheim R *see* Jonat S *et al*
Schroell M *see* Cuttini M *et al*
Schwingshandl J *et al*. Effect of an individualised training programme during weight reduction on body composition: a randomised trial, **426**
Sekerel BE *see* Akpınarlı A *et al*
Shabde N, Craft AW. Covert video surveillance: an important investigative tool or a breach of trust?: *annotation*, **291**
Shah N *et al*. Feeding difficulties and foregut dysmotility in Noonan's syndrome, **28**
Shalet SM *see* Brennan B and Shalet SM
Shamsian N *see* Shamssain MH and Shamsian N
Shamssain MH, Shamsian N. Prevalence and severity of asthma, rhinitis, and atopic eczema: the north east study, **313**
Shann F *see* Steer AC *et al*
Shapira R *et al*. Retrospective review of cystic fibrosis presenting as infantile liver disease, **125**
Shaw NJ *see* Gupta R *et al*
Shield JPH *et al*. Is disomic homozygosity at the APECED locus the cause of increased autoimmunity in Down's syndrome?, **147**
Shuker DEG *see* Vyas JR *et al*
Sidler D *see* de Wet PM *et al*
Silano M *see* Agostoni C *et al*
Sills JA *see* Carrol ED *et al*
Simon L *et al*. Clinical and radiological diagnosis of spinal cord birth injury: *letter*, **F235**
Singh M *see* Thayyil-Sudhan S *et al*
Singh SN *see* Kumar R *et al*
Sirota L *see* Linder N *et al*
Skjærven R *see* Alm B *et al*

Slack MH, Schapira D. Severe apnoeas following immunisation in premature infants, **F67**
Smales O *see* Heaton PAJ *et al*
Smets K *see* Govaert P *et al*
Smith C, Vyas H. Pertussis is increasing in unimmunised infants: is a change of policy needed?: *letter*, **460**
Smith CA *see* Washington N *et al*
Smith I *see* Fleming PJ *et al*
Smith JS *see* Griffin IJ *et al*
Smith VV *see* Heneyke S *et al*
Smith WCS *see* Baxter-Jones ADG *et al*
Smolich JJ *see* Zhang J *et al*
Soltani-K H *et al.* Observational study of maternal anthropometry and fetal insulin, **F122**
Soufflet C *see* Nabbout R *et al*
Southall D *see* Samuels MP and Southall D
Speirs N *see* DiGuiseppi C *et al*
Spencer NJ. Unnatural sudden infant death: *letter*, **96**
Spencer NJ, Coe C. Health and behaviour problems at 8 weeks as predictors of behaviour problems at 8 months, **166**
Spencer NJ *et al.* Trends and social patterning of birthweight in Sheffield, 1985–94, **F138**
Spensley PJ *see* Washington N *et al*
Spitz L *see* Babu R *et al*
see Heneyke S *et al*
Stanhope R *see* Craig F *et al*
Steer AC *et al.* Rheumatic heart disease in school children in Samoa: *letter*, **373**
Stephenson T *see* Morley R *et al*
see Washington N *et al*
Stevenson CJ *et al.* Longitudinal study of behaviour disorders in low birthweight infants, **F5**
Stevenson DK *see* Kaplan M *et al*
Stewart AL *see* Meek JH *et al*
Stiller CA, Eatock EM. Patterns of care and survival for children with acute lymphoblastic leukaemia diagnosed between 1980 and 1994, **202**
Stolte M *see* Behrens R *et al*
Stores G. Recognition and management of narcolepsy: *current topic*, **519**
see Matyka KA *et al*
Strachan DP *see* Austin JB *et al*
Strobel S *see* Høst A *et al*
Struik S *see* Reynolds L *et al*
Stylianopoulos A *see* Jaquiery A *et al*
Su B-H *et al.* Echocardiographic flow pattern of patent ductus arteriosus: a guide to indomethacin treatment in premature infants, **F197**
Subedhar N *see* Gupta R *et al*
Sudi K *see* Schwingshandl J *et al*
Sullivan PB. Gastrostomy feeding in the disabled child: when is an antireflux procedure required?: *annotation*, **463**
Sumino K *see* Waku S *et al*
Sunnegårdh J *see* Åmark K and Sunnegårdh J
Suomalainen H *see* Pelkonen AS *et al*
Sykes K *see* Hatherill M *et al*
Sylva K *see* Pretzlik U and Sylva K
Szarszewski A *et al.* Duodenogastric reflux: clinical and therapeutic aspects, **16**

Takahashi S *see* Yamamoto T *et al*
Takeshima Y *see* Waku S *et al*
Talia K *et al.* Kearns Sayre syndrome initially presenting as hypomelanosis of Ito: *letter*, **280**
Tamburlini G *et al.* Evaluation of guidelines for emergency triage assessment and treatment in developing countries, **478**
see Gove S *et al*
Tan KW *see* Lee J *et al*
Tanner S *see* Yanai S *et al*
Tasker RC. Pharmacological advance in the treatment of acute brain injury: *current topic*, **90**
Tassinari D *see* Cassio A *et al*
Tavori I *see* Bistritzer T *et al*
Taylor BJ *see* Mitchell EA *et al*
Taylor CM. Education and personal development: a reflection: *personal view*, **531**
Terai I *et al.* Influence of spironolactone on neonatal screening for congenital adrenal hyperplasia, **F179**
Terlet J *see* Dewan PA *et al*
Thayyil-Sudhan S *et al.* Safety and effectiveness of BCG vaccination in preterm babies, **F64**
Thibaud E *see* Rodriguez-Macias KA *et al*
Thomas D *see* Playfor S *et al*
Thomsen BL *see* Mølgaard C *et al*
Thomson AH *see* Grimsley C and Thomson AH
Thomson APJ *see* Carrol ED *et al*
Thuret I *see* de Montalembert M *et al*
Tibby SM *see* Hatherill M *et al*
Tobias ES *et al.* Towards earlier diagnosis of 22q11 deletions, **513**
Tobin JM *see* Ewer AK *et al*
Todd DA *see* Hannaford K *et al*
Toet MC *et al.* Amplitude integrated EEG 3 and 6 hours after birth in full term neonates with hypoxic–ischaemic encephalopathy, **F19**
Tokel K *see* Varan B *et al*
Tolmie JL *see* Tobias ES *et al*
Torcoletti M *see* Agostoni C *et al*
Townsend JP *see* Meek JH *et al*
Trawöger R *et al.* Use of laryngeal masks in the resuscitation of a neonate with difficult airway: *letter*, **F160**
Trioche P *et al.* Jaundice with hypertrophic pyloric stenosis as an early manifestation of Gilbert syndrome, **301**
Tripp JH, McNinch AW. The vitamin K debacle: cut the Gordian knot: *letter*, **372**
Trompeter RS *see* Chan MKH *et al*
Tsai C-H *see* Su B-H *et al*
Tsutsui H *see* Yamamoto T *et al*
Tuncer A *see* Akpınarlı A *et al*
Turner C *see* Hatherill M *et al*
Turner SW *et al.* The natural history of ventricular septal defects, **413**
Turpeinen M *see* Pelkonen AS *et al*
Tyszczuk L *see* Meek JH *et al*

United Kingdom Children's Cancer Study Group *see* Moppett J *et al*

van Aerde JE *see* Campbell ME *et al*
Vandenplas Y *see* Høst A *et al*
Varan B *et al.* Malnutrition and growth failure in cyanotic and acyanotic congenital heart disease with and without pulmonary hypertension, **49**
Varma S *see* Forsyth JS *et al*
Verrier Jones K. Prognosis for vesicoureteric reflux: *annotation*, **287**
Vilarim JN *see* Tamburlini G *et al*
Viner R. Transition from paediatric to adult care. Bridging the gaps or passing the buck?: *current topic*, **271**
Voss LD. Short but normal: *review*, **370**
Vreman HJ *see* Kaplan M *et al*
Vyas H *see* Smith C and Vyas H
Vyas JR *et al.* Concentration of nitric oxide products in bronchoalveolar fluid obtained from infants who develop chronic lung disease of prematurity, **F217**

Wadsworth EJK *see* Shield JPH *et al*
Wagstaff M *et al.* Detection of heart disease in infancy: *letter*, **F79**
Waguet J *see* Simon L *et al*
Wahn U *see* Høst A *et al*
Waku S *et al.* A variant TATA box in the bilirubin UDP-glucuronosyltransferase 1 gene promoter does not contribute to neonatal jaundice in the Japanese population: *letter*, **F159**
Walker AM *see* Al-Jader L *et al*
Walker D *see* Playfor S *et al*
Walker-Smith JA, Phillips AD. Is prolonged rotavirus infection a common cause of protracted diarrhoea?: *letter*, **193**
Wallner S *see* Schwingshandl J *et al*
Walters DV. "Dewatering" of the lungs: *letter*, **F78**
Wan C *et al.* Randomised trial of different rates of feeding in acute diarrhoea, **487**
Warner JO *see* Austin JB *et al*
see Jones CA and Warner JO
Washington C *see* Washington N *et al*
Washington N *et al.* Dual pH probe monitoring versus single pH probe monitoring in infants on milk feeds: the impact on diagnosis, **309**
Waterston T *see* Rudolf MCJ *et al*
Watkeys J *see* Hodes D *et al*
Watkin PM, Baldwin M. Confirmation of deafness in infancy, **380**
Weaver L *see* Høst A *et al*
Webb DKH *see* Rees H *et al*
Weber MW *see* Muhe L *et al*
Weller PH *see* Akbar A *et al*
Wells JCK, Davies PSW. Can body size predict infant energy requirements?, **429**
Wennergren G *see* Alm B *et al*
Westaby S *et al.* New developments in the treatment of cardiac failure: *current topic*, **276**
Wheatley K *see* Craze JL *et al*
Whiteford ML *see* Tobias ES *et al*
Whitehouse W *see* McNabb S and Whitehouse W
Whitesell P *see* Gove S *et al*
WHO Integrated Management of Childhood Illness (IMCI) Referral Care Project *see* Gove S *et al*
Whyte J *see* Rahman F *et al*
Wigg L *see* Matyka KA *et al*
Wilcox DT *see* Chan MKH *et al*
Wilkinson J *see* Reilly JJ *et al*
Wilkinson JD *see* Ling SC *et al*
Williams HM *see* Al-Jader L *et al*
Williams MD *see* Lawson SE *et al*
Williams SM *see* Mitchell EA *et al*
Willshaw GA *see* Al-Jader L *et al*

Wilschanski M *et al.* Rectal biopsy in the investigation of constipation: *letter*, **189**
Winstanley C *see* Hart CA and Winstanley C
Witt H *see* Maier RF *et al*
Wolf A *see* Ornoy A *et al*
Wong W *see* Heaton PAJ *et al*
Working Group of Cardiovascular Risk Factors in Childhood and Adolescence *see* Sánchez-Bayle M *et al*
Wren C. Catheter ablation in paediatric arrhythmias: *annotation*, **102**
Cardiac causes for syncope or sudden death in childhood: *annotation*, **289**
Prolonged QTc interval as an important factor in sudden infant death syndrome: *letter*, **282**
Wright CM, Cheetham TD. The strengths and limitations of parental heights as a predictor of attained height, **257**
Wudy SA *see* Heckmann M *et al*
Wundisch GF *see* Behrens R *et al*
Wyatt JS *see* Meek JH *et al*
see Meek JH *et al*
Wyllie JP *see* Turner SW *et al*

Wynne J. Doctors as expert witnesses: *letter*, **192**
see Hobbs CJ and Wynne J

Yamaguchi S *see* Yamamoto T *et al*
Yamamoto T *et al.* High IL-18 (interferon-γ inducing factor) concentration in a purine nucleoside phosphorylase deficient patient, **179**
Yamano K *see* Terai I *et al*
Yanai S *et al.* Clinical and laboratory findings in referrals for mitochondrial DNA analysis: *letter*, **460**
Yildiran A *see* Mocan H *et al*
Yilmaz G *see* Varan B *et al*
Yoshimoto T *see* Yamamoto T *et al*
Young D *see* Rahman F *et al*
Yoxall CW *see* Gupta R *et al*
Yu VYH *see* Zhang J *et al*

Zeharia A *see* Nissenkorn A *et al*
Zhang J *et al.* Mechanisms of blood pressure increase induced by dopamine in hypotensive preterm neonates, **F99**

VOLUME 81 • SUBJECT INDEX

22q11 microdeletions, Towards earlier diagnosis of 22q11 deletions, **513**

Aboriginal children, Intestinal permeability and diarrhoeal disease in Aboriginal Australians, **304**
absence seizures, Typical absence seizures and their treatment: *current topic*, **351**
absorption, Crying significantly reduces absorption of aerosolised drug in infants, **163**
accident prevention, No strings attached: preventing deaths from children's clothing: *letter*, **282**
Smoke alarm installation and function in inner London council housing, **400**
acute brain injury, Pharmacological advance in the treatment of acute brain injury: *current topic*, **90**
acute diarrhoea, Randomised trial of different rates of feeding in acute diarrhoea, **487**
acute lymphoblastic leukaemia, Sexually dimorphic and radiation dose dependent effect of cranial irradiation on body mass index, **500**
Vincristine treatment revealing asymptomatic hereditary motor sensory neuropathy type 1A, **442**
acute medical illness, Use of complementary treatment by those hospitalised with acute illness, **133**
acute myeloid leukaemia, Improved outcome of acute myeloid leukaemia in Down's syndrome, **32**
adolescent medicine, Permanent sequelae in sports injuries: a population based study, **324**
Teenagers with epilepsy: *personal practice*, **76**
Transitional care of young disabled people: *letter*, **191**
Transition from paediatric to adult care. Bridging the gaps or passing the buck?: *current topic*, **271**
adoption, Adoption: a forgotten paediatric speciality, **492**
adrenocorticotrophic hormone, ACTH treatment for gelastic seizures: *letter*, **278**
advocacy, Exploring the scope for advocacy by paediatricians, **515**
aerosols, Crying significantly reduces absorption of aerosolised drug in infants, **163**
airways resistance, Respiratory function in childhood following repair of oesophageal atresia and tracheoesophageal fistula, **404**
albumin, Albumin: saint or sinner?: *letter*, **191**
alcohol, Caffeine and alcohol as risk factors for sudden infant death syndrome, **107**
aldehyde lipid peroxidation, Increased aldehyde lipid peroxidation products in premature infants with chronic lung disease: *letter*, **F235**
allicin, Allicin: a possible answer to antibiotic resistant campylobacter diarrhoeal infection?: *letter*, **278**
amplitude integrated EEG, Amplitude integrated EEG 3 and 6 hours after birth in full term neonates with hypoxic–ischaemic encephalopathy, **F19**
anaemia, Breath holding spells in 91 children and response to treatment with iron, **261**
Iron fortified follow on formula from 9 to 18 months improves iron status but not development or growth: a randomised trial, **247**
Iron nutritional status in preterm infants fed formula fortified with iron, **F45**
anaerobic threshold, Role of the oxygen uptake efficiency slope in evaluating exercise tolerance, **73**
anticonvulsant medication in pregnancy, Effect of maternal anticonvulsant treatment on neonatal blood coagulation, **F208**
antiepileptic drugs, Teenagers with epilepsy: *personal practice*, **76**
apnoeas, Severe apnoeas following immunisation in premature infants, **F67**
apparent life threatening events, Covert video surveillance: an important investigative tool or a breach of trust?: *annotation*, **291**
Polysomnography and home documented monitoring of cardiorespiratory pattern, **434**
appendicitis, Acute appendicitis in children after renal transplantation: *letter*, **373**
appraisal, Education and personal development: a reflection: *personal view*, **531**
Archivist, APEC, **486**
Chronic pain from the appendix, **403**
Febrile convulsions, rat brains, and scientific pessimism, **472**
Inclusion benefit, **44**
Inflicted head injury—"could do better", **37**
Ketogenic diet again, **124**
Neonatal hyperinsulinism, **150**
Think fuzzy and solve, **524**
Vagal nerve stimulation for epilepsy, **342**
arrhythmias, Catheter ablation in paediatric arrhythmias: *annotation*, **102**
asthma, Difficult asthma: beyond the guidelines: *letter*, **373**
Effect of environmental tobacco smoke on peak flow variability: *letter*, **372**
Effect of formoterol on clinical parameters and lung functions in patients with bronchial asthma: a randomised controlled trial, **45**
Nurse-led asthma education and childhood asthma readmission rates: *letter*, **280**
Prevalence and severity of asthma, rhinitis, and atopic eczema: the north east study, **313**
Respiratory symptoms and duration of residence in immigrant teenagers living in Melbourne, Australia, **159**
atopic disease, Hay fever, eczema, and wheeze: a nationwide UK study (ISAAC, international study of asthma and allergies in childhood), **225**
Infant feeding and atopic disease: *letter*, **190**
attention deficit hyperactivity disorder, Attention deficit hyperactivity disorder: *letter*, **191**
Parent perceptions of symptom severity in Tourette's syndrome, **440**
autism, Behavioural phenotype of Cornelia de Lange syndrome, **333**
autoimmune polyglandular disease type 1 locus, Is disomic homozygosity at the APECED locus the cause of increased autoimmunity in Down's syndrome?, **147**

B cell lymphoma, B cell non-Hodgkin's lymphoma in a girl with the DiGeorge anomaly, **444**
Barker hypothesis, Influence of socioeconomic conditions on growth in infancy: the 1921 Aberdeen birth cohort, **5**
Bartter syndrome, Dose related growth response to indometacin in Gitelman syndrome, **508**
Batista operation, New developments in the treatment of cardiac failure: *current topic*, **276**
BCG, BCG and tuberculosis: *letter*, **279**
Safety and effectiveness of BCG vaccination in preterm babies, **F64**
behaviour, Behavioural phenotype of Cornelia de Lange syndrome, **333**
behavioural problems, Health and behaviour problems at 8 weeks as predictors of behaviour problems at 8 months, **166**
Longitudinal study of behaviour disorders in low birthweight infants, **F5**
bilirubin production, Neonatal bilirubin production, reflected by carboxyhaemoglobin concentrations, in Down's syndrome, **F56**
birth, Erythrocyte glutathione S transferase as a marker of oxidative stress at birth, **F130**
birth asphyxia, Amplitude integrated EEG 3 and 6 hours after birth in full term neonates with hypoxic–ischaemic encephalopathy, **F19**
birth cohort study, Health and behaviour problems at 8 weeks as predictors of behaviour problems at 8 months, **166**
birth pattern, Month of birth and risk of developing insulin dependent diabetes in south east Sweden, **143**
birthweight, Trends and social patterning of birthweight in Sheffield, 1985–94, **F138**
bleeding diathesis, Clotting profiles and coagulation factors: *letter*, **F77**
blood pressure, A longitudinal study of blood pressure in Spanish schoolchildren, **169**
body composition, Can body size predict infant energy requirements?, **429**
Effect of an individualised training programme during weight reduction on body composition: a randomised trial, **426**
Observational study of maternal anthropometry and fetal insulin, **F122**
body mass index, Observational study of maternal anthropometry and fetal insulin, **F122**
Sexually dimorphic and radiation dose dependent effect of cranial irradiation on body mass index, **500**
body position, Prone and left lateral positioning reduce gastro-oesophageal reflux in preterm infants, **F201**
bone age, Bone age assessment: a large scale comparison of the Greulich and Pyle, and Tanner and Whitehouse (TW2) methods, **172**
bone growth, Bone growth mechanisms and the effects of cytotoxic drugs: *current topic*, **360**
Whole body bone mineral accretion in healthy children and adolescents, **10**
bone mineral content, Bone mineral status in 134 patients with cystic fibrosis, **235**
Whole body bone mineral accretion in healthy children and adolescents, **10**
bone mineral density, Bone mineral status in 134 patients with cystic fibrosis, **235**
Reduced bone mineral density at completion of chemotherapy for a malignany: *letter*, **372**
botryoid neutrophils, Botryoid neutrophils in unexpected heat stroke: *letter*, **194**
brain tumours, Positron emission tomography and the central nervous system: *current topic*, **263**
breast feeding, Growth patterns of breast fed and formula fed infants in the first 12 months of life: an Italian study, **395**
Infant feeding and atopic disease: *letter*, **190**

Influence of socioeconomic conditions on growth in infancy: the 1921 Aberdeen birth cohort, **5**
Pacifier use and sudden infant death syndrome: results from the CESDI/SUDI case control study, **112**
The vitamin K debacle: cut the Gordian knot: *letter*, **372**

breath holding spells, Breath holding spells in 91 children and response to treatment with iron, **261**

bronchial asthma, Effect of formoterol on clinical parameters and lung functions in patients with bronchial asthma: a randomised controlled trial, **45**

bronchial lability, Peripheral blood lymphocyte subpopulations in schoolchildren born very preterm, **F188**

bronchiolitis, Association of fever and severe clinical course in bronchiolitis, **231**

bronchopulmonary dysplasia, Concentration of nitric oxide products in bronchoalveolar fluid obtained from infants who develop chronic lung disease of prematurity, **F217**

burns prevention and control, Smoke alarm installation and function in inner London council housing, **400**

^{13}C-urea breath test, Dual versus triple therapy of *Helicobacter pylori* infection: results of a multicentre trial, **68**

C reactive protein, Diagnostic markers of infection: comparison of procalcitonin with C reactive protein and leucocyte count, **417**

caffeine, Caffeine and alcohol as risk factors for sudden infant death syndrome, **107**

calcium soaps, A randomised controlled study of the effect of long chain polyunsaturated fatty acid supplementation on stool hardness during formula feeding, **253**

***Campylobacter* spp,** Allicin: a possible answer to antibiotic resistant campylobacter diarrhoeal infection?: *letter*, **278**

captopril, Congenital nephrotic syndrome responsive to captopril and indometacin, **174**

carbon monoxide, Neonatal bilirubin production, reflected by carboxyhaemoglobin concentrations, in Down's syndrome, **F56**

carboxyhaemoglobin, Neonatal bilirubin production, reflected by carboxyhaemoglobin concentrations, in Down's syndrome, **F56**

cardiac failure, New developments in the treatment of cardiac failure: *current topic*, **276**

cardiac pathology, Histological changes in the hearts of non-survivors of the UK Collaborative Trial of Neonatal ECMO (extra corporeal membrane oxygen), **F30**

cardiopulmonary exercise testing, Role of the oxygen uptake efficiency slope in evaluating exercise tolerance, **73**

cardiorespiratory home monitoring, Polysomnography and home documented monitoring of cardiorespiratory pattern, **434**

case control study, Use of duvets and the risk of sudden infant death syndrome, **117**

CATCH 22, B cell non-Hodgkin's lymphoma in a girl with the DiGeorge anomaly, **444**
Towards earlier diagnosis of 22q11 deletions, **513**

cellular metabolism, Dysoxia and lactate: *review*, **343**

central nervous system, Positron emission tomography and the central nervous system: *current topic*, **263**

cerebral blood flow, Low cerebral blood flow is a risk factor for severe intraventricular haemorrhage, **F15**

cerebral function, Amplitude integrated EEG 3 and 6 hours after birth in full term neonates with hypoxic–ischaemic encephalopathy, **F19**

cerebral haemodynamics, Abnormal cerebral haemodynamics in perinatally asphyxiated neonates related to outcome, **F110**

cerebral ischaemia, Low cerebral blood flow is a risk factor for severe intraventricular haemorrhage, **F15**

cerebral oedema, Causes of death in children with insulin dependent diabetes 1990–96, **318**

cerebral palsy, Cause of death in cerebral palsy: a descriptive study, **390**
Neonatal focal temporal lobe or atrial wall haemorrhagic infarction, **F211**

Chamberlen, The Chamberlen family (1560–1728) and obstetric forceps: *perinatal lesson*, **F232**

chemotherapy, Bone growth mechanisms and the effects of cytotoxic drugs: *current topic*, **360**

child abuse, Covert video surveillance: an important investigative tool or a breach of trust?: *annotation*, **291**
Mothering to death: *letter*, **374**
Pretrial liaison between doctors in alleged child abuse: *letter*, **192**
Recurrent apparent life threatening events and intentional suffocation: *letter*, **189**
Unnatural sudden infant death: *letter*, **96**

child health strategy, Exploring the scope for advocacy by paediatricians, **515**

children's nurseries, Outbreak of *Escherichia coli* O157 in a nursery: lessons for prevention, **60**

cholescintigraphy, Duodenogastric reflux: clinical and therapeutic aspects, **16**

cholestatic liver disease, The vitamin K debacle and infants with cholestatic liver disease: *letter*, **281**

Christian church, Maternal–fetal conflict, Moses Maimonides, and the Christian Church: *letter*, **F236**

chronic disease, Transition from paediatric to adult care. Bridging the gaps or passing the buck?: *current topic*, **271**

chronic intestinal pseudo-obstruction, Chronic intestinal pseudo-obstruction: treatment and long term follow up of 44 patients, **21**

chronic liver disease, Retrospective review of cystic fibrosis presenting as infantile liver disease, **125**

chronic lung disease of prematurity, Concentration of nitric oxide products in bronchoalveolar fluid obtained from infants who develop chronic lung disease of prematurity, **F217**
Crying significantly reduces absorption of aerosolised drug in infants, **163**

chronic neonatal lung disease, Role of *Ureaplasma urealyticum* in lung disease of prematurity, **F162**

cisapride, Duodenogastric reflux: clinical and therapeutic aspects, **16**
Randomised controlled trial of cisapride in preterm neonates for gastric emptying time: *letter*, **F159**

clinical assessment, Accuracy of clinical assessment of heart murmurs by office based (general practice) paediatricians, **409**

clinical signs, Clinical algorithm for malaria during low and high transmission seasons, **216**

clinical trials, Patterns of care and survival for children with acute lymphoblastic leukaemia diagnosed between 1980 and 1994, **202**

cluster headache, Cluster headache-like disorder in childhood, **511**

coagulation factors, Clotting profiles and coagulation factors: *letter*, **F77**

Cochrane Injuries Group, Injury prevention: *annotation*, **200**

cognitive function, Cognitive function and mood after profound nocturnal hypoglycaemia in prepubertal children with conventional insulin treatment for diabetes, **138**

cohort study, The natural history of ventricular septal defects, **413**

colonic wall thickness, Colonic wall thickness and pancreatic enzymes in cystic fibrosis: *letter*, **97**

colour flow imaging, The natural history of ventricular septal defects, **413**

comorbid symptoms, Parent perceptions of symptom severity in Tourette's syndrome, **440**

complementary treatment, Use of complementary treatment by those hospitalised with acute illness, **133**

computed tomography, A diagnostic rule for tuberculous meningitis, **221**
The role of radiology in the evaluation of stridor: *current topic*, **456**

confidential advice, School nursing: past, present, and future: *current topic*, **181**

confidentiality, Children of the 90s: ethical guidance for a longitudinal study: *review*, **F146**
Children of the 90s II: challenges for the ethics and law committee: *review*, **F228**

confirmation of deafness, Confirmation of deafness in infancy, **380**

congenital adrenal hyperplasia, Influence of spironolactone on neonatal screening for congenital adrenal hyperplasia, **F179**
Longitudinal measurements of 17α-hydroxyprogesterone in premature infants during the first three months of life, **F175**

congenital diaphragmatic hernia, Pulmonary hypoplasia: *editorial*, **F81**

congenital heart defects, Detection of heart disease in infancy: *letter*, **F79**
Malnutrition and growth failure in cyanotic and acyanotic congenital heart disease with and without pulmonary hypertension, **49**
The effect of changing attitudes to Down's syndrome in the management of complete atrioventricular septal defects, **151**

congenital nephrotic syndrome, Congenital nephrotic syndrome responsive to captopril and indometacin, **174**

congenital thrombophilia, Congenital thrombophilia and thrombosis: a study in a single centre, **176**

conjugated hyperbilirubinaemia, Retrospective review of cystic fibrosis presenting as infantile liver disease, **125**

consent, Children of the 90s: ethical guidance for a longitudinal study: *review*, **F146**
Children of the 90s II: challenges for the ethics and law committee: *review*, **F228**

constipation, Rectal biopsy in the investigation of constipation: *letter*, **189**
Rectal biopsy in the investigation of constipation: *letter*, **189**

continuous distending pressure, Continuous distending pressure: *personal practice*, **F152**

continuous professional development, Education and personal development: a reflection: *personal view*, **531**

convulsions, Pyridoxine dependent epilepsy: a suggestive electroclinical pattern, **F125**

coping, Paediatric patients' distress and coping: an observational measure: *current topic*, **528**
Paediatric patients' distress and coping during medical treatment: a self report measure: *current topic*, **525**

Cornelia de Lange syndrome, Behavioural phenotype of Cornelia de Lange syndrome, **333**

cough, Respiratory function in childhood following repair of oesophageal atresia and tracheoesophageal fistula, **404**

cough variant asthma, Persistent nocturnal cough: randomised controlled trial of high dose inhaled corticosteroid, **38**

covert video surveillance, Covert video surveillance: an important investigative tool or a breach of trust?: *annotation*, **291**

cows' milk, Randomised trial of different rates of feeding in acute diarrhoea, **487**
cranial irradiation, Sexually dimorphic and radiation dose dependent effect of cranial irradiation on body mass index, **500**
critical care, Pertussis is increasing in unimmunised infants: is a change of policy needed?: *letter*, **460**
The role of the Glasgow meningococcal septicaemia prognostic score in the emergency management of meningococcal disease: *letter*, **281**
crown–heel length, Knee–heel length measurement in healthy preterm infants, **F50**
cyanosis, Malnutrition and growth failure in cyanotic and acyanotic congenital heart disease with and without pulmonary hypertension, **49**
cystic fibrosis, Adequacy of clinical formulae for estimation of energy requirements in children with cystic fibrosis, **120**
Bone mineral status in 134 patients with cystic fibrosis, **235**
Colonic wall thickness and pancreatic enzymes in cystic fibrosis: *letter*, **97**
Normal growth in cystic fibrosis associated with a specialised centre, **241**
Pseudomonas and all that: *annotation*, **2**
Retrospective review of cystic fibrosis presenting as infantile liver disease, **125**
The evolution of liver disease in cystic fibrosis, **129**
cytokines, High IL-18 (interferon-γ inducing factor) concentration in a purine nucleoside phosphorylase deficient patient, **179**
cytomegalovirus, CMV coinfection and disease progression in vertically acquired HIV infection: *letter*, **193**
cytotoxic drugs, Bone growth mechanisms and the effects of cytotoxic drugs: *current topic*, **360**

deafness, Confirmation of deafness in infancy, **380**
death certification, Cause of death in cerebral palsy: a descriptive study, **390**
decompression stomas, Chronic intestinal pseudo-obstruction: treatment and long term follow up of 44 patients, **21**
Denys-Drash syndrome, Frasier and Denys-Drash syndromes: different disorders or part of a spectrum?: *current topic*, **365**
dermatology, Kearns Sayre syndrome initially presenting as hypomelanosis of Ito: *letter*, **280**
1-desamino-8-d-arginine effect, Effect of DDAVP on nocturnal enuresis in a patient with nephrogenic diabetes insipidus, **57**
developing countries, Clinical algorithm for malaria during low and high transmission seasons, **216**
Development and technical basis of simplified guidelines for emergency triage assessment and treatment in developing countries, **473**
Evaluation of guidelines for emergency triage assessment and treatment in developing countries, **478**
Injury prevention: *annotation*, **200**
Rheumatic heart disease in school children in Samoa: *letter*, **373**
development, Iron fortified follow on formula from 9 to 18 months improves iron status but not development or growth: a randomised trial, **247**
diabetes, Neonatal diabetes and severe intracerebral haemorrhage: *letter*, **F77**
diabetic ketoacidosis, Causes of death in children with insulin dependent diabetes 1990–96, **318**
diagnosis, Accuracy of clinical assessment of heart murmurs by office based (general practice) paediatricians, **409**
Investigation of hypertension and the recognition of monogenic hypertension: *current topic*, **452**
The effect of changing attitudes to Down's syndrome in the management of complete atrioventricular septal defects, **151**
diaphragmatic hernia, Spontaneous rupture of the diaphragm, **341**
diarrhoea, Intestinal permeability and diarrhoeal disease in Aboriginal Australians, **304**
Is prolonged rotavirus infection a common cause of protracted diarrhoea?: *letter*, **193**
Less diarrhoea but no change in growth: 15 years' data from three Gambian villages: *letter*, **278**
Need to consider other causes of poor growth in Gambian children: *letter*, **279**
Solar disinfection of water reduces diarrhoeal disease: an update, **337**
diet, Attention deficit hyperactivity disorder: *letter*, **191**
diet treatment, Randomised trial of different rates of feeding in acute diarrhoea, **487**
dietary products, Dietary products used in infants for treatment and prevention of food allergy. Joint statement of the European Society for Paediatric Allergology and Clinical Immunology (ESPACI) Committee on Hypoallergenic Formulas and the European Society for Paediatric Gastroenterology, Hepatology and Nutrition (ESPGHAN) Committee on Nutrition: *special report*, **80**
DiGeorge anomaly, B cell non-Hodgkin's lymphoma in a girl with the DiGeorge anomaly, **444**
Towards earlier diagnosis of 22q11 deletions, **513**
disease registration, Cause of death in cerebral palsy: a descriptive study, **390**
disease severity, Association of fever and severe clinical course in bronchiolitis, **231**
distress, Crying significantly reduces absorption of aerosolised drug in infants, **163**
Paediatric patients' distress and coping: an observational measure: *current topic*, **528**
Paediatric patients' distress and coping during medical treatment: a self report measure: *current topic*, **525**
dopamine, Mechanisms of blood pressure increase induced by dopamine in hypotensive preterm neonates, **F99**
doubly labelled water method, Adequacy of clinical formulae for estimation of energy requirements in children with cystic fibrosis, **120**
Down's syndrome, Improved outcome of acute myeloid leukaemia in Down's syndrome, **32**
Is disomic homozygosity at the APECED locus the cause of increased autoimmunity in Down's syndrome?, **147**
Neonatal bilirubin production, reflected by carboxyhaemoglobin concentrations, in Down's syndrome, **F56**
The effect of changing attitudes to Down's syndrome in the management of complete atrioventricular septal defects, **151**
Thyroid dysfunction in Down's syndrome: relation to age and thyroid autoimmunity: *letter*, **283**
drug administation, Crying significantly reduces absorption of aerosolised drug in infants, **163**
dual energy *x* ray absorptiometry, Whole body bone mineral accretion in healthy children and adolescents, **10**
dual therapy, Dual versus triple therapy of *Helicobacter pylori* infection: results of a multicentre trial, **68**
ductus venosus, Ductus venosus blood velocity in persistent pulmonary hypertension of the newborn, **F35**
duodenogastric reflux, Duodenogastric reflux: clinical and therapeutic aspects, **16**
duvet, Use of duvets and the risk of sudden infant death syndrome, **117**
dysoxia, Dysoxia and lactate: *review*, **343**

early puberty, Randomised trial of LHRH analogue treatment on final height in girls with onset of puberty aged 7.5–8.5 years, **329**
early vitamin K deficiency bleeding, Effect of maternal anticonvulsant treatment on neonatal blood coagulation, **F208**
echocardiography, Ductus venosus blood velocity in persistent pulmonary hypertension of the newborn, **F35**
Echocardiographic flow pattern of patent ductus arteriosus: a guide to indomethacin treatment in premature infants, **F197**
ECMO, Histological changes in the hearts of non-survivors of the UK Collaborative Trial of Neonatal ECMO (extra corporeal membrane oxygen), **F30**
eczema, Hay fever, eczema, and wheeze: a nationwide UK study (ISAAC, international study of asthma and allergies in childhood), **225**
Prevalence and severity of asthma, rhinitis, and atopic eczema: the north east study, **313**
education, Education and personal development: a reflection: *personal view*, **531**
EEG, EEG and epilepsy: *letter*, **191**
electroencephalogram, Clomipramine withdrawal in newborns: *letter*, **F77**
emergency medicine, Development and technical basis of simplified guidelines for emergency triage assessment and treatment in developing countries, **473**
Evaluation of guidelines for emergency triage assessment and treatment in developing countries, **478**
The role of the Glasgow meningococcal septicaemia prognostic score in the emergency management of meningococcal disease: *letter*, **281**
energy expenditure, Adequacy of clinical formulae for estimation of energy requirements in children with cystic fibrosis, **120**
energy metabolism, Can body size predict infant energy requirements?, **429**
environmental factors, Respiratory symptoms and duration of residence in immigrant teenagers living in Melbourne, Australia, **159**
epidemiology, Clinical algorithm for malaria during low and high transmission seasons, **216**
Epidemiology of pyridoxine dependent and pyridoxine responsive seizures in the UK, **431**
Hay fever, eczema, and wheeze: a nationwide UK study (ISAAC, international study of asthma and allergies in childhood), **225**
epilepsy, EEG and epilepsy: *letter*, **191**
Positron emission tomography and the central nervous system: *current topic*, **263**
Pyridoxine dependent epilepsy: a suggestive electroclinical pattern, **F125**
Teenagers with epilepsy: *personal practice*, **76**
Typical absence seizures and their treatment: *current topic*, **351**
Update on surgery for epilepsy: *current topic*, **356**
Epstein-Barr virus, B cell non-Hodgkin's lymphoma in a girl with the DiGeorge anomaly, **444**
ethics, Children of the 90s: ethical guidance for a longitudinal study: *review*, **F146**

Children of the 90s II: challenges for the ethics and law committee: *review*, **F228**
Parental visiting, communication, and participation in ethical decisions: a comparison of neonatal unit policies in Europe, **F84**
Role of clinical ethics committees: *annotation*, **104**
ethnicity, Use of complementary treatment by those hospitalised with acute illness, **133**
evidence based practice, Birth of a formulary: *annotation*, **197**
Evidence in perinatal medicine: enough of trial and error?: *annotation*, **F161**
Rationing in child health services: a personal view: *annotation*, **1**
Short but normal: *review*, **370**
Unnatural sudden infant death: *letter*, **96**
experimental models, Pharmacological advance in the treatment of acute brain injury: *current topic*, **90**
expert witness, Doctors as expert witnesses: *letter*, **192**
Pretrial liaison between doctors in alleged child abuse: *letter*, **192**
external hydrocephalus, External hydrocephalus in primary hypomagnesaemia: a new finding, **505**
extrahepatic biliary atresia, The vitamin K debacle and infants with cholestatic liver disease: *letter*, **281**
extubation, Continuous distending pressure: *personal practice*, **F152**

facial paralysis, Paediatric presentation of type 2 neurofibromatosis, **496**
factitious disorder, Outcome of psychiatric intervention in factitious illness by proxy (Munchausen's syndrome by proxy), **465**
failure to thrive, Feeding difficulties and foregut dysmotility in Noonan's syndrome, **28**
family reunification, Outcome of psychiatric intervention in factitious illness by proxy (Munchausen's syndrome by proxy), **465**
family support, School nursing: past, present, and future: *current topic*, **181**
fat free mass, Can body size predict infant energy requirements?, **429**
fever, Association of fever and severe clinical course in bronchiolitis, **231**
Unexplained fever in neonates may be associated with hepatitis B vaccine, **F206**
final height, Randomised trial of LHRH analogue treatment on final height in girls with onset of puberty aged 7.5–8.5 years, **329**
fluoroscopy, The role of radiology in the evaluation of stridor: *current topic*, **456**
food allergy, Dietary products used in infants for treatment and prevention of food allergy. Joint statement of the European Society for Paediatric Allergology and Clinical Immunology (ESPACI) Committee on Hypoallergenic Formulas and the European Society for Paediatric Gastroenterology, Hepatology and Nutrition (ESPGHAN) Committee on Nutrition: *special report*, **80**
foregut dysmotility, Feeding difficulties and foregut dysmotility in Noonan's syndrome, **28**
formoterol, Effect of formoterol on clinical parameters and lung functions in patients with bronchial asthma: a randomised controlled trial, **45**
formula feeding, A randomised controlled study of the effect of long chain polyunsaturated fatty acid supplementation on stool hardness during formula feeding, **253**
Growth patterns of breast fed and formula fed infants in the first 12 months of life: an Italian study, **395**
formulary, Birth of a formulary: *annotation*, **197**
fortifiers, Effect of fortification on the osmolality of human milk, **F141**
Frasier syndrome, Frasier and Denys-Drash syndromes: different disorders or part of a spectrum?: *current topic*, **365**
fundoplication, Gastrostomy feeding in the disabled child: when is an antireflux procedure required?: *annotation*, **463**

G protein mutation, Follow up of precocious pseudopuberty associated with isolated ovarian follicular cysts, **53**
garlic, Allicin: a possible answer to antibiotic resistant campylobacter diarrhoeal infection?: *letter*, **278**
gas chromatography, Increased aldehyde lipid peroxidation products in premature infants with chronic lung disease: *letter*, **F235**
gastroenteritis, Allicin: a possible answer to antibiotic resistant campylobacter diarrhoeal infection?: *letter*, **278**
Rotavirus: a new vaccine for the UK?: *annotation*, **101**
gastrointestinal motility, Randomised controlled trial of cisapride in preterm neonates for gastric emptying time: *letter*, **F159**
gastro-oesophageal reflux, Dual pH probe monitoring versus single pH probe monitoring in infants on milk feeds: the impact on diagnosis, **309**
Feeding difficulties and foregut dysmotility in Noonan's syndrome, **28**
Gastrostomy feeding in the disabled child: when is an antireflux procedure required?: *annotation*, **463**
Prone and left lateral positioning reduce gastro-oesophageal reflux in preterm infants, **F201**
gastrostomy feeding, Gastrostomy feeding in the disabled child: when is an antireflux procedure required?: *annotation*, **463**
gelastic seizures, ACTH treatment for gelastic seizures: *letter*, **278**
genetics, Children of the 90s: ethical guidance for a longitudinal study: *review*, **F146**
Children of the 90s II: challenges for the ethics and law committee: *review*, **F228**
Pyridoxine dependent epilepsy: a suggestive electroclinical pattern, **F125**
gestational diabetes, Neurodevelopmental outcome at early school age of children born to mothers with gestational diabetes, **F10**
Gilbert syndrome, Jaundice with hypertrophic pyloric stenosis as an early manifestation of Gilbert syndrome, **301**
Gitelman syndrome, Dose related growth response to indometacin in Gitelman syndrome, **508**
glomerular filtration rate, Are glomerular filtration rate estimations necessary before high dose methotrexate?, **339**
Renal processing of glucose in well and sick neonates, **F92**
glutathione S transferase, Erythrocyte glutathione S transferase as a marker of oxidative stress at birth, **F130**
graft versus host disease, Umbilical cord blood transplantation: *letter*, **282**
Greulich and Pyle, Bone age assessment: a large scale comparison of the Greulich and Pyle, and Tanner and Whitehouse (TW2) methods, **172**
growth, Dose related growth response to indometacin in Gitelman syndrome, **508**
Growth hormone insensitivity: a widening diagnosis: *annotation*, **378**
Growth patterns of breast fed and formula fed infants in the first 12 months of life: an Italian study, **395**
Influence of socioeconomic conditions on growth in infancy: the 1921 Aberdeen birth cohort, **5**
Iron fortified follow on formula from 9 to 18 months improves iron status but not development or growth: a randomised trial, **247**
Less diarrhoea but no change in growth: 15 years' data from three Gambian villages: *letter*, **278**
Malnutrition and growth failure in cyanotic and acyanotic congenital heart disease with and without pulmonary hypertension, **49**
Need to consider other causes of poor growth in Gambian children: *letter*, **279**
Short but normal: *review*, **370**
The strengths and limitations of parental heights as a predictor of attained height, **257**
guidelines, Development and technical basis of simplified guidelines for emergency triage assessment and treatment in developing countries, **473**
Pharmacokinetics and dose requirements of vancomycin in neonates, **F221**

17α-hydroxyprogesterone, Influence of spironolactone on neonatal screening for congenital adrenal hyperplasia, **F179**
Longitudinal measurements of 17α-hydroxyprogesterone in premature infants during the first three months of life, **F175**
haematological malignancies, Are glomerular filtration rate estimations necessary before high dose methotrexate?, **339**
haemolysis, Neonatal bilirubin production, reflected by carboxyhaemoglobin concentrations, in Down's syndrome, **F56**
haemorrhagic shock and encephalopathy syndrome, Botryoid neutrophils in unexpected heat stroke: *letter*, **194**
Case control study of thermal environment preceding haemorrhagic shock encephalopathy syndrome, **155**
hard stools, A randomised controlled study of the effect of long chain polyunsaturated fatty acid supplementation on stool hardness during formula feeding, **253**
hay fever, Hay fever, eczema, and wheeze: a nationwide UK study (ISAAC, international study of asthma and allergies in childhood), **225**
head covering, Case control study of thermal environment preceding haemorrhagic shock encephalopathy syndrome, **155**
health policy, Pertussis is increasing in unimmunised infants: is a change of policy needed?: *letter*, **460**
health promotion, School nursing: past, present, and future: *current topic*, **181**
heart murmurs, Accuracy of clinical assessment of heart murmurs by office based (general practice) paediatricians, **409**
heat stroke, Botryoid neutrophils in unexpected heat stroke: *letter*, **194**
height, Dose related growth response to indometacin in Gitelman syndrome, **508**
Normal growth in cystic fibrosis associated with a specialised centre, **241**
***Helicobacter pylori*,** Dual versus triple therapy of *Helicobacter pylori* infection: results of a multicentre trial, **68**
hepatitis B vaccine, Unexplained fever in neonates may be associated with hepatitis B vaccine, **F206**
hereditary sensory motor neuropathy type 1A, Vincristine treatment revealing asymptomatic hereditary motor sensory neuropathy type 1A, **442**
herpes simplex virus infections, Neonatal herpes simplex virus infections: HSV DNA in cerebrospinal fluid and serum, **F24**
HFE gene mutation, HFE gene mutation and transferrin saturation in very low birthweight infants, **F144**
high frequency ventilation, Multicentre trial of high frequency ventilation: *letter*, **F160**

historical cohort, Influence of socioeconomic conditions on growth in infancy: the 1921 Aberdeen birth cohort, **5**
history, Controlled trials from history: *letter,* **281**
hospitalisation, Use of complementary treatment by those hospitalised with acute illness, **133**
HSV DNA, Neonatal herpes simplex virus infections: HSV DNA in cerebrospinal fluid and serum, **F24**
human immunodeficiency virus, CMV coinfection and disease progression in vertically acquired HIV infection: *letter,* **193**
human milk, Effect of fortification on the osmolality of human milk, **F141**
hyaline membrane disease, Role of *Ureaplasma urealyticum* in lung disease of prematurity, **F162**
hydroxyurea, Preliminary report of a toxicity study of hydroxyurea in sickle cell disease, **437**
hypercalcaemia, Williams syndrome: an update on clinical and molecular aspects: *annotation,* **198**
hyperoxia, Individualised pulse oximetry limits in neonatal intensive care, **F194**
hypertension, Investigation of hypertension and the recognition of monogenic hypertension: *current topic,* **452**
hyperthermia, Case control study of thermal environment preceding haemorrhagic shock encephalopathy syndrome, **155**
hyperthyroidism, Thyroid dysfunction in Down's syndrome: relation to age and thyroid autoimmunity: *letter,* **283**
hypertrophic cardiomyopathy, Cardiac causes for syncope or sudden death in childhood: *annotation,* **289**
hypoglycaemia, Causes of death in children with insulin dependent diabetes 1990–96, **318**
hypomelanosis of Ito, Kearns Sayre syndrome initially presenting as hypomelanosis of Ito: *letter,* **280**
hypotension, Mechanisms of blood pressure increase induced by dopamine in hypotensive preterm neonates, **F99**
hypothyroidism, Thyroid dysfunction in Down's syndrome: relation to age and thyroid autoimmunity: *letter,* **283**
hypoxia, Individualised pulse oximetry limits in neonatal intensive care, **F194**
hypoxic-ischaemic encephalopathy, Amplitude integrated EEG 3 and 6 hours after birth in full term neonates with hypoxic–ischaemic encephalopathy, **F19**

immunisation, BCG and tuberculosis: *letter,* **279**
Opportunistic immunisation in hospital, **422**
Pertussis is increasing in unimmunised infants: is a change of policy needed?: *letter,* **460**
Severe apnoeas following immunisation in premature infants, **F67**
Varicella: to vaccinate or not vaccinate?: *letter,* **279**
immunoglobulin, Neonatal varicella: varicella zoster immunoglobulin (VZIG) does not prevent disease, **F69**
immunology, Umbilical cord blood transplantation: *letter,* **282**
incidence, Month of birth and risk of developing insulin dependent diabetes in south east Sweden, **143**
incubators, Incubator oxygen concentrations during free flow oxygen treatment: *letter,* **F236**
indometacin, Congenital nephrotic syndrome responsive to captopril and indometacin, **174**
Dose related growth response to indometacin in Gitelman syndrome, **508**
Echocardiographic flow pattern of patent ductus arteriosus: a guide to indomethacin treatment in premature infants, **F197**
infant feeding practice, Growth patterns of breast fed and formula fed infants in the first 12 months of life: an Italian study, **395**
infant formula, Iron nutritional status in preterm infants fed formula fortified with iron, **F45**
infection, Diagnostic markers of infection: comparison of procalcitonin with C reactive protein and leucocyte count, **417**
Month of birth and risk of developing insulin dependent diabetes in south east Sweden, **143**
Nitric oxide and infectious diseases: *current topic,* **185**
Outbreak of *Escherichia coli* O157 in a nursery: lessons for prevention, **60**
Pseudomonas and all that: *annotation,* **2**
information, Parental visiting, communication, and participation in ethical decisions: a comparison of neonatal unit policies in Europe, **F84**
inhaled corticosteroid, Persistent nocturnal cough: randomised controlled trial of high dose inhaled corticosteroid, **38**
injury prevention, Injury prevention: *annotation,* **200**
No strings attached: preventing deaths from children's clothing: *letter,* **282**
inotropes, Tonometry to estimate intestinal perfusion in newborn piglets, **F105**
insulin, Observational study of maternal anthropometry and fetal insulin, **F122**
insulin dependent diabetes mellitus, Cognitive function and mood after profound nocturnal hypoglycaemia in prepubertal children with conventional insulin treatment for diabetes, **138**
Is disomic homozygosity at the APECED locus the cause of increased autoimmunity in Down's syndrome?, **147**
Month of birth and risk of developing insulin dependent diabetes in south east Sweden, **143**
insulin resistance, Low birthweight and adult insulin resistance: the "catch-up growth" hypothesis: *current topic,* **F71**
insulin-like growth factor, Growth hormone insensitivity: a widening diagnosis: *annotation,* **378**
Low birthweight and adult insulin resistance: the "catch-up growth" hypothesis: *current topic,* **F71**
intensive care, Albumin: saint or sinner?: *letter,* **191**
Individualised pulse oximetry limits in neonatal intensive care, **F194**
Parental visiting, communication, and participation in ethical decisions: a comparison of neonatal unit policies in Europe, **F84**
interferon-γ inducing factor, High IL-18 (interferon-γ inducing factor) concentration in a purine nucleoside phosphorylase deficient patient, **179**
international study of asthma and allergies in childhood, Hay fever, eczema, and wheeze: a nationwide UK study (ISAAC, international study of asthma and allergies in childhood), **225**
Prevalence and severity of asthma, rhinitis, and atopic eczema: the north east study, **313**
interuterine growth retardation, Low birthweight and adult insulin resistance: the "catch-up growth" hypothesis: *current topic,* **F71**
intestinal absorption, Intestinal permeability and diarrhoeal disease in Aboriginal Australians, **304**
intracerebral haemorrhage, Neonatal diabetes and severe intracerebral haemorrhage: *letter,* **F77**
intracranial volume, Lesion volume, lesion location, and outcome after middle cerebral artery territory stroke, **295**
intrauterine infection, Role of *Ureaplasma urealyticum* in lung disease of prematurity, **F162**
intravenous access device, Plastic migration from implanted central venous access devices, **71**
intraventricular haemorrhage, Low cerebral blood flow is a risk factor for severe intraventricular haemorrhage, **F15**
IQ, Neurodevelopmental outcome at early school age of children born to mothers with gestational diabetes, **F10**
iron, Iron fortified follow on formula from 9 to 18 months improves iron status but not development or growth: a randomised trial, **247**
iron deficiency, Breath holding spells in 91 children and response to treatment with iron, **261**
Iron nutritional status in preterm infants fed formula fortified with iron, **F45**
ischaemia, Tonometry to estimate intestinal perfusion in newborn piglets, **F105**

jaundice, Jaundice with hypertrophic pyloric stenosis as an early manifestation of Gilbert syndrome, **301**
Neonatal bilirubin production, reflected by carboxyhaemoglobin concentrations, in Down's syndrome, **F56**
John Braxton Hicks, John Braxton Hicks (1823–97) and painless uterine contractions: *perinatal lesson,* **F157**

Kearns Sayre syndrome, Kearns Sayre syndrome initially presenting as hypomelanosis of Ito: *letter,* **280**
Kidcope checklist, Paediatric patients' distress and coping during medical treatment: a self report measure: *current topic,* **525**
knee–heel length, Knee–heel length measurement in healthy preterm infants, **F50**
knemometry, Knee–heel length measurement in healthy preterm infants, **F50**

lactate, Dysoxia and lactate: *review,* **343**
Laron syndrome, Growth hormone insensitivity: a widening diagnosis: *annotation,* **378**
laryngeal masks, Use of laryngeal masks in the resuscitation of a neonate with difficult airway: *letter,* **F160**
late complications, Diagnosis and management of late complications after liver transplantation: *current topic,* **446**
laughter, ACTH treatment for gelastic seizures: *letter,* **278**
learning disorder, Cranial magnetic resonance imaging and school performance in very low birth weight infants in adolescence, **F116**
left ventricular assist devices, New developments in the treatment of cardiac failure: *current topic,* **276**
leucocyte count, Diagnostic markers of infection: comparison of procalcitonin with C reactive protein and leucocyte count, **417**
leukaemia, Patterns of care and survival for children with acute lymphoblastic leukaemia diagnosed between 1980 and 1994, **202**
linear growth, Knee–heel length measurement in healthy preterm infants, **F50**
liver disease, The evolution of liver disease in cystic fibrosis, **129**
liver transplantation, Diagnosis and management of late complications after liver transplantation: *current topic,* **446**
long chain polyunsaturated fatty acids, A randomised controlled study of the effect of long chain polyunsaturated fatty acid supplementation on stool hardness during formula feeding, **253**
long QT syndrome, Prolonged QTc interval as an important factor in sudden infant death syndrome: *letter,* **282**
longitudinal study, A longitudinal study of blood pressure in Spanish schoolchildren, **169**
Influence of socioeconomic conditions on growth in infancy: the 1921 Aberdeen birth cohort, **5**
Permanent sequelae in sports injuries: a population based study, **324**
low birthweight, Longitudinal study of behaviour disorders in low birthweight infants, **F5**

lung permeability, "Dewatering" of the lungs: *letter,* **F78**
luteinising hormone releasing hormone analogue, Randomised trial of LHRH analogue treatment on final height in girls with onset of puberty aged 7.5–8.5 years, **329**
lymphocyte migration inhibition test, Safety and effectiveness of BCG vaccination in preterm babies, **F64**

magnetic resonance imaging, Cranial magnetic resonance imaging and school performance in very low birth weight infants in adolescence, **F116**
Stroke in childhood: *current topic,* **85**
The role of radiology in the evaluation of stridor: *current topic,* **456**
Update on surgery for epilepsy: *current topic,* **356**
malaria, Clinical algorithm for malaria during low and high transmission seasons, **216**
Nitric oxide and infectious diseases: *current topic,* **185**
malignancy, Reduced bone mineral density at completion of chemotherapy for a malignany: *letter,* **372**
malnutrition, Malnutrition and growth failure in cyanotic and acyanotic congenital heart disease with and without pulmonary hypertension, **49**
management, Recognition and management of narcolepsy: *current topic,* **519**
management guidelines, Diagnosis and management of late complications after liver transplantation: *current topic,* **446**
mass spectrometry, Increased aldehyde lipid peroxidation products in premature infants with chronic lung disease: *letter,* **F235**
maternal anthropometry, Observational study of maternal anthropometry and fetal insulin, **F122**
maternal-fetal conflict, Maternal–fetal conflict, Moses Maimonides, and the Christian Church: *letter,* **F236**
matrix haemorrhage, Neonatal focal temporal lobe or atrial wall haemorrhagic infarction, **F211**
maximal oxygen uptake, Role of the oxygen uptake efficiency slope in evaluating exercise tolerance, **73**
mean arterial blood pressure, Blood pressure standards for very low birthweight infants during the first day of life, **F168**
Medicines Control Agency, Birth of a formulary: *annotation,* **197**
medicolegal, Pretrial liaison between doctors in alleged child abuse: *letter,* **192**
meningioma, Paediatric presentation of type 2 neurofibromatosis, **496**
meningitis, Nitric oxide and infectious diseases: *current topic,* **185**
meningococcal disease, The way ahead with meningococcal disease: *letter,* **193**
meningococcal septicaemia, The role of the Glasgow meningococcal septicaemia prognostic score in the emergency management of meningococcal disease: *letter,* **281**
mental retardation, Behavioural phenotype of Cornelia de Lange syndrome, **333**
metachromatic leukodystrophy, Spontaneous rupture of the diaphragm, **341**
methotrexate, Are glomerular filtration rate estimations necessary before high dose methotrexate?, **339**
mid-parental height, The strengths and limitations of parental heights as a predictor of attained height, **257**
migration, Plastic migration from implanted central venous access devices, **71**
mitochondrial disorders, Multiple presentation of mitochondrial disorders, **209**
mitochondrial DNA, Clinical and laboratory findings in referrals for mitochondrial DNA analysis: *letter,* **460**
Multiple presentation of mitochondrial disorders, **209**
monogenic hypertension, Investigation of hypertension and the recognition of monogenic hypertension: *current topic,* **452**
mood, Cognitive function and mood after profound nocturnal hypoglycaemia in prepubertal children with conventional insulin treatment for diabetes, **138**
mortality, Causes of death in children with insulin dependent diabetes 1990–96, **318**
Munchausen syndrome by proxy, Covert video surveillance: an important investigative tool or a breach of trust?: *annotation,* **291**
Mothering to death: *letter,* **374**
Outcome of psychiatric intervention in factitious illness by proxy (Munchausen's syndrome by proxy), **465**
Recurrent apparent life threatening events and intentional suffocation: *letter,* **189**
myoclonus, Clomipramine withdrawal in newborns: *letter,* **F77**

narcolepsy, Recognition and management of narcolepsy: *current topic,* **519**
Na^+ K^+ ATPase activity, Sodium potassium adenosine triphosphatase activity in preterm and term infants and its possible role in sodium homeostasis during maturation, **F184**
National Health Service, NHS Direct: here and now: *annotation,* **376**
near infrared spectroscopy, Low cerebral blood flow is a risk factor for severe intraventricular haemorrhage, **F15**
neglect, Mothering to death: *letter,* **374**
neonatal jaundice, A variant TATA box in the bilirubin UDP-glucuronosyltransferase 1 gene promoter does not contribute to neonatal jaundice in the Japanese population: *letter,* **F159**
nephrectomy, Xanthogranulomatous pyelonephritis in childhood, **483**
nephrogenic diabetes insipidus, Effect of DDAVP on nocturnal enuresis in a patient with nephrogenic diabetes insipidus, **57**
neuroblastoma, Neonatal neuroblastoma, **F134**
neurofibromatosis type 2, Paediatric presentation of type 2 neurofibromatosis, **496**
neurogenetics, Clinical and laboratory findings in referrals for mitochondrial DNA analysis: *letter,* **460**
neuroimaging, Update on surgery for epilepsy: *current topic,* **356**
neurological functions, Neurodevelopmental outcome at early school age of children born to mothers with gestational diabetes, **F10**
neurological impairment, Gastrostomy feeding in the disabled child: when is an antireflux procedure required?: *annotation,* **463**
neurological outcome, Neonatal neuroblastoma, **F134**
neuropathy, Vincristine treatment revealing asymptomatic hereditary motor sensory neuropathy type 1A, **442**
neuroprotection, Pharmacological advance in the treatment of acute brain injury: *current topic,* **90**
neurosurgery, Update on surgery for epilepsy: *current topic,* **356**
NHS Direct, NHS Direct: here and now: *annotation,* **376**
nitrate, Concentration of nitric oxide products in bronchoalveolar fluid obtained from infants who develop chronic lung disease of prematurity, **F217**
nitric oxide, Concentration of nitric oxide products in bronchoalveolar fluid obtained from infants who develop chronic lung disease of prematurity, **F217**
Nitric oxide and infectious diseases: *current topic,* **185**
nocturnal enuresis, Effect of DDAVP on nocturnal enuresis in a patient with nephrogenic diabetes insipidus, **57**
nocturnal hypoglycaemia, Cognitive function and mood after profound nocturnal hypoglycaemia in prepubertal children with conventional insulin treatment for diabetes, **138**
Noonan's syndrome, Feeding difficulties and foregut dysmotility in Noonan's syndrome, **28**
nurse-led clinics, Nurse-led asthma education and childhood asthma readmission rates: *letter,* **280**
nutrition, Less diarrhoea but no change in growth: 15 years' data from three Gambian villages: *letter,* **278**
Need to consider other causes of poor growth in Gambian children: *letter,* **279**
Normal growth in cystic fibrosis associated with a specialised centre, **241**
Randomised trial of different rates of feeding in acute diarrhoea, **487**
nutritional status, The evolution of liver disease in cystic fibrosis, **129**

obesity, Effect of an individualised training programme during weight reduction on body composition: a randomised trial, **426**
Sexually dimorphic and radiation dose dependent effect of cranial irradiation on body mass index, **500**
observations, Paediatric patients' distress and coping: an observational measure: *current topic,* **528**
obsessive compulsive behaviour, Parent perceptions of symptom severity in Tourette's syndrome, **440**
obstetric forceps, The Chamberlen family (1560–1728) and obstetric forceps: *perinatal lesson,* **F232**
oesophageal pH monitoring, Dual pH probe monitoring versus single pH probe monitoring in infants on milk feeds: the impact on diagnosis, **309**
omeprazole, Dual versus triple therapy of *Helicobacter pylori* infection: results of a multicentre trial, **68**
opportunistic, Opportunistic immunisation in hospital, **422**
organisation of health care, The way ahead with meningococcal disease: *letter,* **193**
osmolality, Effect of fortification on the osmolality of human milk, **F141**
osmotic diuresis, Renal processing of glucose in well and sick neonates, **F92**
osteopenia, Reduced bone mineral density at completion of chemotherapy for a malignany: *letter,* **372**
outcome, Improved outcome of acute myeloid leukaemia in Down's syndrome, **32**
Lesion volume, lesion location, and outcome after middle cerebral artery territory stroke, **295**
ovarian follicular cyst, Follow up of precocious pseudopuberty associated with isolated ovarian follicular cysts, **53**
overheating, Case control study of thermal environment preceding haemorrhagic shock encephalopathy syndrome, **155**
oxidative stress, Erythrocyte glutathione S transferase as a marker of oxidative stress at birth, **F130**
oxygen limited energy depletion, Dysoxia and lactate: *review,* **343**
oxygen treatment, Incubator oxygen concentrations during free flow oxygen treatment: *letter,* **F235**
oxygen uptake efficiency slope, Role of the oxygen uptake efficiency slope in evaluating exercise tolerance, **73**

pacifiers, Pacifier use and sudden infant death syndrome: results from the CESDI/SUDI case control study, **112**
pain, Preliminary report of a toxicity study of hydroxyurea in sickle cell disease, **437**

pancreatic enzymes, Colonic wall thickness and pancreatic enzymes in cystic fibrosis: *letter,* **97**
paracetamol poisoning, Neonatal paracetamol poisoning: *letter,* **F78**
parental visiting, Parental visiting, communication, and participation in ethical decisions: a comparison of neonatal unit policies in Europe, **F84**
PCR, Neonatal herpes simplex virus infections: HSV DNA in cerebrospinal fluid and serum, **F24**
PDA flow pattern, Echocardiographic flow pattern of patent ductus arteriosus: a guide to indomethacin treatment in premature infants, **F197**
peak flows, Effect of environmental tobacco smoke on peak flow variability: *letter,* **372**
perinatal asphyxia, Abnormal cerebral haemodynamics in perinatally asphyxiated neonates related to outcome, **F110**
periventricular leucomalacia, Cranial magnetic resonance imaging and school performance in very low birth weight infants in adolescence, **F116**
permanent sequelae, Permanent sequelae in sports injuries: a population based study, **324**
persistent common atrioventricular canal, The effect of changing attitudes to Down's syndrome in the management of complete atrioventricular septal defects, **151**
persistent nocturnal cough, Persistent nocturnal cough: randomised controlled trial of high dose inhaled corticosteroid, **38**
persistent pulmonary hypertension of the newborn, Ductus venosus blood velocity in persistent pulmonary hypertension of the newborn, **F35**
personal development, Education and personal development: a reflection: *personal view,* **531**
pertussis, Pertussis is increasing in unimmunised infants: is a change of policy needed?: *letter,* **460**
pharmacology, Pharmacological advance in the treatment of acute brain injury: *current topic,* **90**
plastic, Plastic migration from implanted central venous access devices, **71**
pneumothorax, Spontaneous rupture of the diaphragm, **341**
poisoning, Recurrent apparent life threatening events and intentional suffocation: *letter,* **189**
polysomnography, Polysomnography and home documented monitoring of cardiorespiratory pattern, **434**
population pharmacokinetics, Pharmacokinetics and dose requirements of vancomycin in neonates, **F221**
positron emission tomography, Positron emission tomography and the central nervous system: *current topic,* **263**
postconceptional age, Longitudinal measurements of 17α-hydroxyprogesterone in premature infants during the first three months of life, **F175**
postenteritis syndrome, Is prolonged rotavirus infection a common cause of protracted diarrhoea?: *letter,* **193**
predictive value, Health and behaviour problems at 8 weeks as predictors of behaviour problems at 8 months, **166**
pregnancy, Neurodevelopmental outcome at early school age of children born to mothers with gestational diabetes, **F10**
prematurity, Erythrocyte glutathione S transferase as a marker of oxidative stress at birth, **F130**
Outcome following pulmonary haemorrhage in very low birthweight neonates treated with surfactant, **F40**
Severe apnoeas following immunisation in premature infants, **F67**
premenarchal, Vulvovaginitis: clinical features, aetiology, and microbiology of the genital tract, **64**
prenatal diagnosis, Antenatally diagnosed renal pelvis dilatation: *letter,* **F160**
preschool age children, Opportunistic immunisation in hospital, **422**
Reference range for serum cortisol in well preterm infants, **F171**
preterm infants, Iron nutritional status in preterm infants fed formula fortified with iron, **F45**
Mechanisms of blood pressure increase induced by dopamine in hypotensive preterm neonates, **F99**
Polysomnography and home documented monitoring of cardiorespiratory pattern, **434**
Prone and left lateral positioning reduce gastro-oesophageal reflux in preterm infants, **F201**
pretrial liaison, Doctors as expert witnesses: *letter,* **192**
prevalence, Respiratory symptoms and duration of residence in immigrant teenagers living in Melbourne, Australia, **159**
primary hypomagnesaemia, External hydrocephalus in primary hypomagnesaemia: a new finding, **505**
priority setting, Rationing in child health services: a personal view: *annotation,* **1**
procalcitonin, Diagnostic markers of infection: comparison of procalcitonin with C reactive protein and leucocyte count, **417**
professional self regulation, Education and personal development: a reflection: *personal view,* **531**
prognostic factors, Chronic intestinal pseudo-obstruction: treatment and long term follow up of 44 patients, **21**
prophylaxis, Neonatal varicella: varicella zoster immunoglobulin (VZIG) does not prevent disease, **F69**
protective devices, Smoke alarm installation and function in inner London council housing, **400**
prothrombin deficiency, Effect of maternal anticonvulsant treatment on neonatal blood coagulation, **F208**
Pseudomonadaceae, Pseudomonas and all that: *annotation,* **2**
pseudopuberty, Follow up of precocious pseudopuberty associated with isolated ovarian follicular cysts, **53**
pseudoseizures, Cluster headache-like disorder in childhood, **511**
psychophysiology, Difficult asthma: beyond the guidelines: *letter,* **373**
public health, Injury prevention: *annotation,* **200**
Rotavirus: a new vaccine for the UK?: *annotation,* **101**
public health advocacy, Exploring the scope for advocacy by paediatricians, **515**
public opinion, The effect of changing attitudes to Down's syndrome in the management of complete atrioventricular septal defects, **151**
pulmonary function, Normal growth in cystic fibrosis associated with a specialised centre, **241**
pulmonary haemorrhage, Outcome following pulmonary haemorrhage in very low birthweight neonates treated with surfactant, **F40**
pulmonary hypertension, Malnutrition and growth failure in cyanotic and acyanotic congenital heart disease with and without pulmonary hypertension, **49**
pulmonary hypoplasia, Pulmonary hypoplasia: *editorial,* **F81**
pulmonary surfactant, "Dewatering" of the lungs: *letter,* **F78**
pulse oximetry, Individualised pulse oximetry limits in neonatal intensive care, **F194**
purine nucleoside phosphorylase deficiency, High IL-18 (interferon-γ inducing factor) concentration in a purine nucleoside phosphorylase deficient patient, **179**
pyloric stenosis, Jaundice with hypertrophic pyloric stenosis as an early manifestation of Gilbert syndrome, **301**
pyogenic meningitis, A diagnostic rule for tuberculous meningitis, **221**
pyridoxine, Pyridoxine dependent epilepsy: a suggestive electroclinical pattern, **F125**
pyridoxine dependent seizures, Epidemiology of pyridoxine dependent and pyridoxine responsive seizures in the UK, **431**
pyridoxine responsive seizures, Epidemiology of pyridoxine dependent and pyridoxine responsive seizures in the UK, **431**
pyruvate dehydrogenase, Multiple presentation of mitochondrial disorders, **209**

quilt, Use of duvets and the risk of sudden infant death syndrome, **117**

radial hypersegmentation, Botryoid neutrophils in unexpected heat stroke: *letter,* **194**
radiofrequency catheter ablation, Catheter ablation in paediatric arrhythmias: *annotation,* **102**
radiography, The role of radiology in the evaluation of stridor: *current topic,* **456**
radiological diagnosis, Clinical and radiological diagnosis of spinal cord birth injury: *letter,* **F235**
rage, Parent perceptions of symptom severity in Tourette's syndrome, **440**
randomised controlled trials, A randomised controlled study of the effect of long chain polyunsaturated fatty acid supplementation on stool hardness during formula feeding, **253**
Controlled trials from history: *letter,* **281**
Effect of formoterol on clinical parameters and lung functions in patients with bronchial asthma: a randomised controlled trial, **45**
Solar disinfection of water reduces diarrhoeal disease: an update, **337**
randomised trial, Randomised trial of LHRH analogue treatment on final height in girls with onset of puberty aged 7.5–8.5 years, **329**
rationing, Rationing in child health services: a personal view: *annotation,* **1**
recognition, Recognition and management of narcolepsy: *current topic,* **519**
rectal biopsy, Rectal biopsy in the investigation of constipation: *letter,* **189**
Rectal biopsy in the investigation of constipation: *letter,* **189**
reference range, Reference range for serum cortisol in well preterm infants, **F171**
referral patterns, Patterns of care and survival for children with acute lymphoblastic leukaemia diagnosed between 1980 and 1994, **202**
reflux nephropathy, Prognosis for vesicoureteric reflux: *annotation,* **287**
renal disease, Frasier and Denys-Drash syndromes: different disorders or part of a spectrum?: *current topic,* **365**
renal glucose, Renal processing of glucose in well and sick neonates, **F92**
renal pelvis dilatation, Antenatally diagnosed renal pelvis dilatation: *letter,* **F160**
renal sodium, Renal processing of glucose in well and sick neonates, **F92**
renal transplantation, Acute appendicitis in children after renal transplantation: *letter,* **373**
respiratory chain, Multiple presentation of mitochondrial disorders, **209**
respiratory chain enzymes, Clinical and laboratory findings in referrals for mitochondrial DNA analysis: *letter,* **460**

respiratory distress syndrome, "Dewatering" of the lungs: *letter,* **F78**
Multicentre trial of high frequency ventilation: *letter,* **F160**
Outcome following pulmonary haemorrhage in very low birthweight neonates treated with surfactant, **F40**
resuscitation, Use of laryngeal masks in the resuscitation of a neonate with difficult airway: *letter,* **F160**
rheumatic heart disease, Rheumatic heart disease in school children in Samoa: *letter,* **373**
rhinitis, Prevalence and severity of asthma, rhinitis, and atopic eczema: the north east study, **313**
risk factors, Caffeine and alcohol as risk factors for sudden infant death syndrome, **107**
Health and behaviour problems at 8 weeks as predictors of behaviour problems at 8 months, **166**
Incidence and risk factors for ventricular septal defect in "low risk" neonates, **F61**
Outbreak of *Escherichia coli* O157 in a nursery: lessons for prevention, **60**
road traffic accidents, Injury prevention: *annotation,* **200**
rotavirus, Is prolonged rotavirus infection a common cause of protracted diarrhoea?: *letter,* **193**
Rotavirus: a new vaccine for the UK?: *annotation,* **101**
routine screening, School nursing: past, present, and future: *current topic,* **181**
ruptured diaphragm, Spontaneous rupture of the diaphragm, **341**
Rutter questionnaires, Longitudinal study of behaviour disorders in low birthweight infants, **F5**

school nursing, School nursing: past, present, and future: *current topic,* **181**
schoolchildren, Peripheral blood lymphocyte subpopulations in schoolchildren born very preterm, **F188**
schwannoma, Paediatric presentation of type 2 neurofibromatosis, **496**
screening, Cardiac causes for syncope or sudden death in childhood: *annotation,* **289**
Confirmation of deafness in infancy, **380**
Detection of heart disease in infancy: *letter,* **F79**
Influence of spironolactone on neonatal screening for congenital adrenal hyperplasia, **F179**
separation anxiety, Mothering to death: *letter,* **374**
sepsis, Diagnostic markers of infection: comparison of procalcitonin with C reactive protein and leucocyte count, **417**
septic shock, Albumin: saint or sinner?: *letter,* **191**
Nitric oxide and infectious diseases: *current topic,* **185**
serum cortisol, Reference range for serum cortisol in well preterm infants, **F171**
sex, The effect of changing attitudes to Down's syndrome in the management of complete atrioventricular septal defects, **151**
sexual abuse, How to manage warts: *letter,* **460**
sexual dimorphism, Sexually dimorphic and radiation dose dependent effect of cranial irradiation on body mass index, **500**
short stature, Growth hormone insensitivity: a widening diagnosis: *annotation,* **378**
The strengths and limitations of parental heights as a predictor of attained height, **257**
sickle cell anaemia, Stroke in childhood: *current topic,* **85**
sickle cell disease, Preliminary report of a toxicity study of hydroxyurea in sickle cell disease, **437**
silicon, Plastic migration from implanted central venous access devices, **71**
smothering, Unnatural sudden infant death: *letter,* **96**
socioeconomic status, Trends and social patterning of birthweight in Sheffield, 1985–94, **F138**
sodium homeostasis, Sodium potassium adenosine triphosphatase activity in preterm and term infants and its possible role in sodium homeostasis during maturation, **F184**
solar disinfection, Solar disinfection of water reduces diarrhoeal disease: an update, **337**
somatisation, Outcome of psychiatric intervention in factitious illness by proxy (Munchausen's syndrome by proxy), **465**
specialisation, Where should paediatric surgery be performed?: *letter,* **283**
specialist paediatric service, Adoption: a forgotten paediatric speciality, **492**
spinal cord birth injury, Clinical and radiological diagnosis of spinal cord birth injury: *letter,* **F235**
spirometry, Respiratory function in childhood following repair of oesophageal atresia and tracheoesophageal fistula, **404**
spironolactone, Influence of spironolactone on neonatal screening for congenital adrenal hyperplasia, **F179**
sports related injuries, Permanent sequelae in sports injuries: a population based study, **324**
stature, Short but normal: *review,* **370**
steroids, Longitudinal measurements of 17α-hydroxyprogesterone in premature infants during the first three months of life, **F175**
stridor, The role of radiology in the evaluation of stridor: *current topic,* **456**
stroke, Lesion volume, lesion location, and outcome after middle cerebral artery territory stroke, **295**
Stroke in childhood: *current topic,* **85**
sudden death, Cardiac causes for syncope or sudden death in childhood: *annotation,* **289**
sudden infant death syndrome, Caffeine and alcohol as risk factors for sudden infant death syndrome, **107**
Case control study of thermal environment preceding haemorrhagic shock encephalopathy syndrome, **155**
Dual pH probe monitoring versus single pH probe monitoring in infants on milk feeds: the impact on diagnosis, **309**
Pacifier use and sudden infant death syndrome: results from the CESDI/SUDI case control study, **112**
Polysomnography and home documented monitoring of cardiorespiratory pattern, **434**
Prolonged QTc interval as an important factor in sudden infant death syndrome: *letter,* **282**
Unnatural sudden infant death: *letter,* **96**
Use of duvets and the risk of sudden infant death syndrome, **117**
suffocation, Recurrent apparent life threatening events and intentional suffocation: *letter,* **189**
supravalvar aortic stenosis, Williams syndrome: an update on clinical and molecular aspects: *annotation,* **198**
surgery, Where should paediatric surgery be performed?: *letter,* **283**
survival, Patterns of care and survival for children with acute lymphoblastic leukaemia diagnosed between 1980 and 1994, **202**
syncope, Cardiac causes for syncope or sudden death in childhood: *annotation,* **289**

T and B lymphocytes, Peripheral blood lymphocyte subpopulations in schoolchildren born very preterm, **F188**
Tanner and Whitehouse, Bone age assessment: a large scale comparison of the Greulich and Pyle, and Tanner and Whitehouse (TW2) methods, **172**
taxonomy, Pseudomonas and all that: *annotation,* **2**
telephone consultation, NHS Direct: here and now: *annotation,* **376**
temporal lobe, Neonatal focal temporal lobe or atrial wall haemorrhagic infarction, **F211**
tetralogy of Fallot, Towards earlier diagnosis of 22q11 deletions, **513**
thoracic gas volume, Respiratory function in childhood following repair of oesophageal atresia and tracheoesophageal fistula, **404**
thrombosis, Congenital thrombophilia and thrombosis: a study in a single centre, **176**
thyroid function, Thyroid dysfunction in Down's syndrome: relation to age and thyroid autoimmunity: *letter,* **283**
tobacco smoke, Effect of environmental tobacco smoke on peak flow variability: *letter,* **372**
tonometry, Tonometry to estimate intestinal perfusion in newborn piglets, **F105**
total energy expenditure, Can body size predict infant energy requirements?, **429**
total parenteral nutrition, Chronic intestinal pseudo-obstruction: treatment and long term follow up of 44 patients, **21**
Tourette's syndrome, Parent perceptions of symptom severity in Tourette's syndrome, **440**
tracheal ligation, Pulmonary hypoplasia: *editorial,* **F81**
tracking, A longitudinal study of blood pressure in Spanish schoolchildren, **169**
training programme, Effect of an individualised training programme during weight reduction on body composition: a randomised trial, **426**
transferrin saturation, HFE gene mutation and transferrin saturation in very low birthweight infants, **F144**
transient evoked oto-acoustic emission test, Confirmation of deafness in infancy, **380**
transitional care, Transitional care of young disabled people: *letter,* **191**
Transition from paediatric to adult care. Bridging the gaps or passing the buck?: *current topic,* **271**
transmission, Outbreak of *Escherichia coli* O157 in a nursery: lessons for prevention, **60**
treatment, Dietary products used in infants for treatment and prevention of food allergy. Joint statement of the European Society for Paediatric Allergology and Clinical Immunology (ESPACI) Committee on Hypoallergenic Formulas and the European Society for Paediatric Gastroenterology, Hepatology and Nutrition (ESPGHAN) Committee on Nutrition: *special report,* **80**
Improved outcome of acute myeloid leukaemia in Down's syndrome, **32**
triage, Evaluation of guidelines for emergency triage assessment and treatment in developing countries, **478**
NHS Direct: here and now: *annotation,* **376**
triple therapy, Dual versus triple therapy of *Helicobacter pylori* infection: results of a multicentre trial, **68**
tuberculin test, Safety and effectiveness of BCG vaccination in preterm babies, **F64**
tuberculosis, BCG and tuberculosis: *letter,* **279**
tuberculous meningitis, A diagnostic rule for tuberculous meningitis, **221**
tuberous sclerosis, ACTH treatment for gelastic seizures: *letter,* **278**
tumour stage, Neonatal neuroblastoma, **F134**

ultrasonography, The evolution of liver disease in cystic fibrosis, **129**
umbilical cord blood transplantation, Umbilical cord blood transplantation: *letter,* **282**
underlying cause of death, Cause of death in cerebral palsy: a descriptive study, **390**
unnatural death, Unnatural sudden infant death: *letter,* **96**
upper gastrointestinal contrast studies, The role of radiology in the evaluation of stridor: *current topic,* **456**
***Ureaplasma urealyticum*,** Role of *Ureaplasma urealyticum* in lung disease of prematurity, **F162**
urinary tract infections, Prognosis for vesicoureteric reflux: *annotation,* **287**
uterine contractions, John Braxton Hicks (1823–97) and painless uterine contractions: *perinatal lesson,* **F157**

vaccination, Rotavirus: a new vaccine for the UK?: *annotation,* **101**
vaginal flora, Vulvovaginitis: clinical features, aetiology, and microbiology of the genital tract, **64**
validation study, Evaluation of guidelines for emergency triage assessment and treatment in developing countries, **478**
vancomycin, Pharmacokinetics and dose requirements of vancomycin in neonates, **F221**
varicella, Neonatal varicella: varicella zoster immunoglobulin (VZIG) does not prevent disease, **F69**
Varicella: to vaccinate or not vaccinate?: *letter,* **279**
velocardiofacial, Towards earlier diagnosis of 22q11 deletions, **513**
venous infarction, Neonatal focal temporal lobe or atrial wall haemorrhagic infarction, **F211**
ventricular septal defects, Incidence and risk factors for ventricular septal defect in "low risk" neonates, **F61**
The natural history of ventricular septal defects, **413**
verocytotoxin producing *Escherichia coli* O157, Outbreak of *Escherichia coli* O157 in a nursery: lessons for prevention, **60**
very low birthweight, Blood pressure standards for very low birthweight infants during the first day of life, **F168**
Cranial magnetic resonance imaging and school performance in very low birth weight infants in adolescence, **F116**
Echocardiographic flow pattern of patent ductus arteriosus: a guide to indomethacin treatment in premature infants, **F197**
very preterm, Peripheral blood lymphocyte subpopulations in schoolchildren born very preterm, **F188**
vesicoureteric reflux, Prognosis for vesicoureteric reflux: *annotation,* **287**
vincristine, Vincristine treatment revealing asymptomatic hereditary motor sensory neuropathy type 1A, **442**
viral load, CMV coinfection and disease progression in vertically acquired HIV infection: *letter,* **193**
vitamin K, The vitamin K debacle and infants with cholestatic liver disease: *letter,* **281**
The vitamin K debacle: cut the Gordian knot: *letter,* **372**
vulvovaginitis, Vulvovaginitis: clinical features, aetiology, and microbiology of the genital tract, **64**

warts, How to manage warts: *letter,* **460**
weight, Normal growth in cystic fibrosis associated with a specialised centre, **241**
wheezing, Respiratory symptoms and duration of residence in immigrant teenagers living in Melbourne, Australia, **159**
Williams syndrome, Williams syndrome: an update on clinical and molecular aspects: *annotation,* **198**
Wilms's tumour suppressor gene, Frasier and Denys-Drash syndromes: different disorders or part of a spectrum?: *current topic,* **365**
withdrawal effect, Clomipramine withdrawal in newborns: *letter,* **F77**

xanthogranulomatous pyelonephritis, Xanthogranulomatous pyelonephritis in childhood, **483**